	(A) (A= ::::			ATER WELL RE	CORD F	om WWC-5		82a-12			Deman No. 1	_
_	ON OF WAT		Fraction	% NW	1114		tion Nu	ımber	Township N		Range Number	
County: Distance ar		eno om nearest tow		14 NW t address of we		Within city?	2		т 23	S	R 6	트
			Westh	orough Bld	ig 1301 W	/. 30 th , Hut	chins	on, Ka	nsas			
2 WATER	WELL OWN	ER: Jack G	Blaves									.
RR#, St. Ad	ddress, Box#	: 120 S.	Market Su									
City, State,	ZIP Code	: Wichit	a, Ks 6720	02					Application No	ımber:	V	_
3 LOCATE	E WELL'S LO N SECTION I	CATON WITH	4 DEDTU O	E COMBI ETE	D WELL	30) #	EI E\/A	TION:			-
	NOCTION	30A.	Donth(s) Grou	undunter Ence	untered '	. 1	^{((.}	#	2	-	3	E+
	M										/yr	
	N V											
1 1 I	i X										oumpingG	
 -	NW	NE	Pero Helo Die	Gpiii:	77 in to	30		۰۰۰۰ ۲۰۰	t and	nouis	pumpingG	
<u>9</u>	i		WELL WATE	R TO BE USE	DAS: 5 F	Public water s	vlagu	Г	8 Air conditio	nina 1	n. to 1 Injection well 2 Other (Specify below	Ft.
± W ►	-	=======================================	1 Dome	estic 3 Feed	lot 6 C	Oil field water	supply		9 Dewatering	1	2 Other (Specify below	v)
		ļ_	2 Irrigat	ion 4 Indus	trial 7 L	awn and gar	den (do	mestic)	10 Monitorino	well	AS-4	.]
	sw	SE	Was a chemic	cal/hacteriologi	cal sample	submitted to	Denartr	ment? Y	es No X	If ves	, mo/day/yr sample wa	
l			Submitted	oui, buoto, ioiogi	oui oumpio		- Срана		r Well Disinfecte		v	
5 TYPE O	F BLANK CA	SING USED:	Cabinition	5 Wroug	aht Iron	8 Conc	rete tile				d Clamped	\neg
1 Ste			SR)			t 9 Other				Weld		
2 PV		T 4 ABS	J.1.,	7 Fibers			(opco	, 20.0			aded X	
				Ft					····			
Blank casin	g diameter	2	In. to 2	6.5 Dia		ln.	to		ft., Dia		in. to	ft.
Casing heig	ght above land	surface	FLUSH	in., weight	S	CH 40	L	.bs./ft. \	Vall thickness or	gauge No		
			N MATERIAL:			7	PVC		10 Asbe	estos-ceme	ent	- [
1 Ste	eel	3 Stainle	ess steel	5 Fiberg	glass	8	RMP (SR)	11 Othe	r (specify)		
2 Bra			nized steel	6 Concr	ete tile	9	ABS		12 None	e used (ope	en hole)	
		TION OPENIN				ed wrapped			8 Saw cut		11 None (open hole)	
	ntinuous slot		Mill slot		•	wrapped			9 Drilled holes			
	uvered shutte		Key punched			r cut			10 Other (spec	ıry)		
SCREEN-P	ERFORATE	INTERVALS:	From	20.5	ft. to	20.5		. ft. Fro	om '	ft. t	о	
	·		From		tt. to	20 5		π. Fro	om		о	Ft.
SAI	ND PACK INT	ERVALS:									o	- 1
			From		ft. to	·		ft. Fro	om .	ft. t	0	Ft.
6	===						1		0.11			
JGROUT	MATERIAL:	1 Neat o	ement	2 Cement gr	out	3 Ber Ft.	tonite	4	Otner			
Grout Interv	als From3	0	ft. to 1	Ft. From2		1 to		19	ft. From		ft. to	ft.
		e of possible of					10	Livesto			andoned water well	
	ptic tank		4 Lateral line		7 Pit privy			Fuel sto	•	15 Oil	well/ Gas well	
	wer lines		5 Cess pool		8 Sewage				r storage		ner (specify below)	\neg
	tertight sewe	rlines	6 Seepage p		9 Feedyar				ide storage		ntaminated Site	_
Direction fro	•							many fe	•	-		
FROM	то	CODE	LITH	OLOGIC LOG		FROM	ТС			IGGING IN	ITERVALS	
0	.5	Ce	ment, fill				1					
.5	7	Sil	ty Clay, mo									
7	11.5		nd, Fine G									
11.5	30		nd, loose,						•			_
30	TD	En	d of Boreh	ole								_
		-					-	-				\dashv
		 				+	+					-
		t - t -					1				*****	\neg
					,							
									· · · · · · · · · · · · · · · · · · ·			_
7 000	LOTODIC CT	1 44/50/22	NO OFFI	TION: T:		- (1)	1					
					ater well wa						er my jurisdiction and v	- 1
	on (mo/day/yr			/14/04						•	ge and belief. Kansas	- 1
		icense No.		585			ater W		rd was complete	•		
	usiness name			ated Envir					signature) Da			+
				correct answers. Ind one to WATER						onment, Bu	reau of Water, Topeka,	