LOCATION OF WATER WELL	WATER WELL RECORD F			
LOCATION OF WATER WELL:	Fraction SE NE	Section Number		
stance and direction from nearest	SE ½ SE ½ NE town or city street address of well if located	within city?	т 23 s	R 06
West side of Valley	Pride Road, between 6th Avenue &	Railroad tracks to t	he north	
WATER WELL OWNER:				
#, St. Address, Box # :	206 W. 1 st Street		Board of Agriculture, D	ivision of Water Resourc
ty, State, ZIP Code :	Hutchinson, Kansas 67501		Application Number:	
LOCATE WELL'S LOCATON WI	TH 4	45		
JAN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	15 ft. ELE	VATION:	
N	Depth(s) Groundwater Encountered	1 14.0	ft. 2ft.	3
	WELL'S STATIC WATER LEVEL			
NWNE	Pump test data: Well water	er was	ft. after hours	pumpinggp
יין ו	Est. Yield gpm: Well water	er was	ft. after hours	pumpinggp
w X.	E Bore Hole Diameter 8.5 in. to	18	ft. and	in. to
	WELL WATER TO BE USED AS: 5 I	Public water supply	ft. and 8 Air conditioning	11 Injection well
SWSE	1 Domestic 3 Feed lot 6 0	Oil field water supply	9 Dewatering	12 Other (Specify below
	2 Irrigation 4 Industrial 7 I			
S	Was a chemical/bacteriological sample	submitted to Department	? Yes No X If ye	es, mo/day/yr sample wa:
	submitted	W	ater Well Disinfected? Yes	No X
TYPE OF BLANK CASING USE	D: 5 Wrought Iron	8 Concrete tile	CASING JOINTS: GIL	ledClamped
1 Steel 3 RM	IP (SR) 6 Asbestos-Cemer	nt 9 Other (specify bel	ow) We	elded
2 PVC 4 AB	S 7 Fiberglass		Thr	eaded Flush
	in. to 10 ft., Dia			
asing height above land surface	Flushmount in., weight	0.703 lbs./ft	. Wall thickness or gauge N	Sch 40
PE OF SCREEN OR PERFORAT	FION MATERIAL.	7 000	. Wall trickness of gauge N	o
		7 PVC	10 Asbestos-cen	nent
	inless steel 5 Fiberglass Ivanized steel 6 Concrete tile	8 RMP (SR)	11 Other (specify 12 None used (d	y)
REEN OR PERFORATION OPE	NINGS ARE: 5 Concrete tile	9 ABS.	8 Saw cut	pperi noie) 11 None (open hole)
		wrapped		TT THORIS (OPERTHOR)
		• •		
	4 Key punched 7 Torc		10 Other (specify)	
CREEN-PERFORATED INTERVA				
	From ft. to			
GRAVEL PACK INTERVALS				
T		ft.		t. to
GROUT MATERIAL: 1 Ne	eat cement 2 Cement grout	3 Bentonite	4 Other	
rout Intervals From 1	ft. to 8 ft. From	ft. to	ft. From	ft. to
hat is the nearest source of possib	ole contamination:	10 Live	stock pens 14 A	Abandoned water well
1 Septic tank	4 Lateral lines 7 Pit priv	y 11 Fuel	storage 15 (Oil well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewag	e lagoon 12 Fert	ilizer storage 16 (Other (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedya	ard 13 Inse	cticide storage	
rection from well?		How man		
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING	INTERVALS
	Fill, sand Clay, hard, silty, brown		 	
	Clay, nard, silty, brown Clay, soft, sandy, tan			
	oray, sort, sarray, tall			
			Don Taylor was co	
			12-07-04 regarding	this late form
JCONTRACTOR'S OR LANDOW	NER'S CERTIFICATION: This water well w			_ '' /
ompleted on (mo/day/yr)			true to the best of my know	
ater Well Contractor's License No	531	This Water Well I	Record was completed on (n	no/day/yr) //12-10-0
nder the business name of	Geotechnical Services, Inc.	by (signature)	Luco	W/hz
INSTRUCTIONS: Please fill in b	lanks and circle the correct answers. Send three	e copies to Kansas Departer	ent of Health and Environment	Bureau of Water, 1000 S
Jackson St. Ste 420 Toneka Ka	anege 66612-1367 Telephone: 012-206-5545	Send one to WATER WELL	UNIVERS and retain one for ve	ur recorde