			V	WATER WELL RECOR	D Form V	WC-5	KSA 82a	-1212 ID No	•		
	ON OF WATER		Fraction				ion Numbe	r Townst	nip Number	Range Numb	er
County:	Re	eno	NE	14 SE 14	NE	1/4	22		23 s	R 06	w
Distance and	d direction from	m nearest tow f Valley Pri	n or city stre	et address of well if lo between 6 th Aven	cated within	n city?	racke to	the north			
	WELL OWNER		Reno Co		uc a na	ii oaa ti	acks to	tile Horas			
	dress, Box#			1 st Street				Poord of	Agricultura Div	ician of Water Bear	
City, State, 2				son, Kansas 67	7501					ision of Water Reso	ources
LOCATE	WELL'S LOC SECTION BO	ATON WITH				10	4 (1)		on Number:		
	N SECTION B	JX:		OF COMPLETED WE							
				oundwater Encounter							
1				ATIC WATER LEVEL							ƙ
	NW	NE V	Pump test data: Well water was ft. after hours pumping gpm								
Est. Yield gpm: Well water was ft. after he Bore Hole Diameter 8.5 in. to 20 ft. and								hours	oumping		
₩ W		= E	Bore Hole D	Bore Hole Diameter 8.5 in. to 20 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below							
1	į l	<u> </u>	1 Dom	estic 3 Feed lot	. 5 Public 6 Oil fie	id water	appiy	0 All Co	ering 1	2 Other (Specify b	elow)
	sw	· SE	2 Irrig	ation 4 Industrial	7 lawn	and dare	suppiy Ian (domac	etic) 10 Moni	toring well	SVF	elow)
♦ L											
	S			nical/bacteriological sa	ampie subn	nitted to L					was
E TYPE OF	- DI ANIK OAG	110 11050	submitted	C 14/					rected? Yes		
_	BLANK CAS									d Clampe	d
1 Ste		3 RMP(4 ABS	SR)	6 Asbestos-0 7 Fiberglass					Weld	ded Flus	h
			for An	•							
Blank casing	g diameter	<u>4</u>	in. to	14 ft., Dia nt in., weight	0.7	in. t	0	tt., Dia		in. to	ft.
Casing neigi	nt above land	surface F	usimou	in., weight	U.7	···	Ibs./fi	t. Wall thickne	ss or gauge No.	Scn. 40	
	CREEN OR P						PVC		Asbestos-ceme		1
1 Stee		3 Stainle		5 Fiberglass		8	RMP (SR)	11	Other (specify)		-
2 Bras	ss R PERFORAT		nized steel	6 Concrete ti	ile Gauzed w		ABS	9 Saw Sa	None used (op	en hole) 11 None (open h	uolo)
	ntinuous slot		Mill slot		Wire wrap			9 Drilled		i i None (open ii	iole)
								0 204	.0.00		i i
	vered shutter		Key punched		Torch cut			To Other (specify)		
SCREEN-PE	ERFORATED	INTERVALS:		14 ft. to							
25.			From	ft. to			tt.	From	^{ft.}	to	^{ft.} z
GRA	AVEL PACK IN	NIERVALS:		11 ft. to							
				ft. to				From		to	
				2 Cement grout		3 Ben	tonite	4 Other		- 	
Grout Interva	als From	1	ft. to	11 ft. From		ft. t	to	ft. Fr	om	ft. to	ft.
	nearest source	e of possible o	contamination	n:				estock pens	14 Ah	andoned water we	
				ines 7 P			11 Fue	el storage	15 Oi	I well/ Gas well	ĺ
	wer lines		5 Cess po		Sewage lag	oon		tilizer storage	16 Ot	her (specify below)	
	tertight sewer	lines	6 Seepage	e pit 9 F	eedyard			ecticide storage			
Direction fro		CODE	1 17	THOLOGIC LOC		EBOW	How mar	ny feet?	BULICONIC	NITEDVALO	
FROM 0	то 1	CODE	p Soil	THOLOGIC LOG		FROM	ТО	-	PLUGGING I	NIERVALS	
1	6			silty, brown				1			
6	12			oft, sandy	-						
				vel, very fine to	med.			1			
12	20	gr	ain, tan	· · · · · · · · · · · · · · · · · · ·							
			· · · · · · · · · · · · · · · · · · ·								
								Don Toy	or was som	tastad on	
									or was cor	this late form	
							-	12-01-04	. ogaranig	and late total	
							+				
7 CONTRA	ACTOR'S OR	LANDOWNE	R'S CERTIFI	ICATION: This water	well was (1) constru	cted (2) re	econstructed or	(3) plugged up	der my jurisdiction a	nd was
				12-15-02	Ton tras (•		,	1
I	on (mo/day/yr)							, ,,		dge and belief. Ka	1
Į.	Contractor's L	-	Castaal	531						o/day/yr) /12-10	U-U4
	usiness name			nical Services, le correct answers. Ser			gnature)		Manufact Formant	ALLES ALLES ACCOUNTS ACCOUNTS	2 8 10/
				7. Telephone: 913-296							. 5 //