		WA	TER WELL RE	CORD F	orm WWC-5	KSA 82a-	1212 ID N	0			
1 LOCA	TION OF WA		Fraction	NU	14 NW 1		tion Number	Township N	lumber S	Range Numb	er E/W
Distance a		from nearest tow		address of	well if located	within city?	٠,	<u> </u>			
2 WATE	R WELL OW	NER:			kulu		١٧٠				
⊢-'	ddress, Box		100 B	van tu	anlor	tru		Board of A	ariculture Divi	sion of Water Res	enurcos
1 '	, ZIP Code	<u>" : </u>	$H \rightarrow t \tilde{J}$	2270	(6250) rocas			Board of Agriculture, Division of Water Resources Application Number:			
	E WELL'S LO N SECTION N	CATION WITH BOX:	4 DEPTH OF	COMPLETE	D WELL	6	ft. ELEVA	TION:ee meagured on mafter	ft, 3,	ነα . ስደ	ft.
	Y!	1	WELLSSIA	ump test dat	a: Well water	r was	iand surfac	after	hours pum	ping25	gpm
-	-NW	- NE	Est. Yield	gpr	n: well water	' was	II. i	atter	hours pum	ping	gpm
	1	1	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specific Specific Sp)	
w -	1	E	2 Irrigatio	n 4 Ind				10 Monitoring we			
	1	- I						V			
-	-sw -	- SE	Was a chemic mitted	cal/bacteriolo	gical sample s	submitted to		Yes No ater Well Disinfect		day/yrs sample w No	as sub
			milled				VV	ater Well Disililect	ed? tes 👗	INO	
5 TYPE	OF BLANK (CASING USED:		5 Wrough	ht iron	9 Concre	ata tila	CASING IO	INTS: Clued	Clamped	
	Steel 3 RMP (SR)				os-Cement	8 Concrete tile 9 Other (specify below)				Clamped	
6		4 45 6		7 Fibergl					Threade	ed	
					•	$\gamma \alpha$	in. to	ft., Di	a	<i>\1</i> L ⁱⁿ .cg	ft.
1		nd surface		in., we	eight	(7)PV	• • • • • • • • • • • • • • • • • • • •	ids./it. waii thickn	ess or guage r	10. 1. 10. 12	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5					ass		8 RMP (SR)		10 Asbestos-Cement 11 Other (Specify)		
				6 Concre	ete tile		9 ABS `		ne used (open		
SCREEN	OR PERFOR	RATION OPENIN	IGS ARE:			ed wrapped		8 aw cut	1	None (open ho	le)
	ntinuous slot		ill slot		• • • • • • • • • • • • • • • • • • • •			9 Drilled holes			44
İ	vered shutte		ey punched	1/	•	~ 1		10 Other (specif	• ·		
SCREEN-	PERFORATI	ED INTERVALS:	From								
	GRAVEL PA	CK INTERVALS:	From	. <i>O</i>	ft. to	76	ft., From		ft. to	·····	ft.
			From		ft. to		ft., From		ft. to		ft.
6 GROU	JT MATERIA	I Neat	cement	2 Cem	ent grout	3 Bent	onite	4 Other			
Grout Inte		•) - om	From	ft. t	0	ft., From			
1		urce of possible					10 Livestock				
1 Se	ptic tank	4 Later	al lines	lines 7 Pit privy			11 Fuel stor		ge 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon		agoon	12 Fertili	zer storage	ge 16 Other (specify below)		
_	tertight sewe	rlines 6 Seep	age pit		9 Feedyard			ticide storage			
Direction f								y feet? 40			
FROM	ТО	01 >	LITHOLOG	IC LOG		FROM	то	PLI	JGGING INTE	RVALS	
Q	17	DIATA									
17	70	San	\						·		
15	20	Q w	·								

7	AOTO:: -	D AND 0::::-									
		ear)	CERTIFIC	ATION: This				onstructed, or (3) p			
	on (mo/day/y Contractor's		150	/				cord is true to the b d on (mo/day/ <u>yr)</u>	est of my know	edge and pellet.	ransas
1	usiness nam	\	1/22.1	الممك	ر (۱) م	1.011 F16001U		signature)	7 / 5	()-	
		<u>~</u>	. PLEASE PRESS	FIRMLY and PR	INT clearly. Please	fill in blanks. und		correct answers. Send to	op three copies to k	ansas Department of I	Health
and Enviro	onment, Bureau o	of Water, Geology Sec ach constructed well.	tion, 1000 SW Jack	son St., Suite 42	0, Topeka, Kansas	66612-1367. Tel	ephone 785-296-5	522. Send one to WATE	R WELL OWNER a	nd retain one for your	
	,										