


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Reno		SE ¼ NW ¼ NW ¼	28	T 23 S	R 6 E/W
Distance and direction from nearest town or city street address of well if located within city? 1/2 mile north of Blanchard & Mohawk Rd.					
2 WATER WELL OWNER: Ferrellgas					
RR#, St. Address, Box # : 2610 S Mohawk Road			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Hutchinson, KS 67501			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 5.3 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.			
		WELL'S STATIC WATER LEVEL ... 4.3 ft. below land surface measured on mo/day/yr ... 7/21/05			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yrs sample was submitted Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter 2 in. to 37 ft., Dia		Casing height above land surface 3.0 in., weight sch. 40 lbs./ft.		CASING JOINTS: Glued Clamped Welded Threaded X	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless Steel		5 Fiberglass	
2 Brass		4 Galvanized Steel		6 Concrete tile	
				7 PVC	
				8 RMP (SR)	
				10 Asbestos-Cement	
				11 Other (Specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot .010		5 Guazed wrapped	
2 Louvered shutter		4 Key punched		6 Wire wrapped	
				7 Torch cut	
				8 Saw cut	
				9 Drilled holes	
				10 Other (specify) ft.	
				11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From 5.3 ft. to 38 ft., From ft. to ft. From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 5.3 ft. to 36 ft., From ft. to ft. From ft. to ft., From ft. to ft.					
10/20					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 3.6 ft. to 0 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? 999				How many feet? 999	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
10	12	Clay brown silty			
20	22	Clay brown silty			
30	32	Clay Lt. brown moist			
		with silty clay @ 38 ft			
40	42	Sandy clay, lt. brown to			
		grey moist @ 43 ft saturated			
50	52	Sand, fine well sorted			
		tan to grey			

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/21/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 665 This Water Well Record was completed on (mo/day/yr) 7/25/05 under the business name of Pratt Well Environmental by (signature) 

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.