

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Reno		SW ¼ SW ¼ NE ¼		29		T 23 S		R 6 E/W	
Distance and direction from nearest town or city street address of well if located within city? 1/2 mile north of Blanchard Rd and Mohawk Road									
2 WATER WELL OWNER: Ferrellgas									
RR#, St. Address, Box # : 2610 S Mohawk Rd						Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Hutchinson, KS 67501						Application Number:			
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL 53 ft. ELEVATION:							
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 43 ft. below land surface measured on mo/day/yr 7/22/05 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X							
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded X Threaded	
Blank casing diameter 2 in. to 3.8 ft., Dia				7 Fiberglass					
Casing height above land surface 30 in., weight sch 40 lbs./ft.								Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless Steel		5 Fiberglass		7 PVC		10 Asbestos-Cement	
2 Brass		4 Galvanized Steel		6 Concrete tile		8 RMP (SR)		11 Other (Specify)	
						9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot .010		5 Guazed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 53 ft. to 38 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 53 ft. to 36 ft., From ft. to ft.									
10/20 From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 36 ft. to 0 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
Direction from well? 999						How many feet? 999			
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS			
10	12	Clay brown silty							
20	22	Clay brown silty							
30	32	Clay brown silty							
40	42	Sandy clay fine well sorted							
		some cobbles							
50	53	fine sand				MW 22 S			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/22/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 665 This Water Well Record was completed on (mo/day/yr) 7/25/05 under the business name of Pratt Well Environmental by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answer. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.