


1 LOCATION OF WATER WELL: County: <u>RENO</u>	Fraction <u>SE 1/4 SE 1/4 SE 1/4</u>	Section Number <u>1</u>	Township Number <u>T 23 S</u>	Range Number <u>R 6 E</u>
--	---	----------------------------	----------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

From SE corner of SEC. 1 93' N, 90' W

2 WATER WELL OWNER: <u>OWENS OIL COMPANY</u> RR#, St. Address, Box # : <u>434 EAST 17th ST.</u> City, State, ZIP Code : <u>HOTCHINSON, KS 67501</u>	Board of Agriculture, Division of Water Resources Application Number: <u>SVI-4</u> <u>706</u> <u>1535.04</u>
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>25</u> ft. ELEVATION: <u>1535.04</u> Depth(s) Groundwater Encountered 1. <u>16</u> ft. 2. <u>16</u> ft. 3. <u>16</u> ft. WELL'S STATIC WATER LEVEL <u>16.35</u> ft. below land surface measured on mo/day/yr <u>3/10/98</u> Pump test data: Well water was <u>8</u> ft. after <u>3</u> hours pumping <u>1535.04</u> gpm Est. Yield <u>8</u> gpm: Well water was <u>8</u> ft. after <u>3</u> hours pumping <u>1535.04</u> gpm Bore Hole Diameter <u>8</u> in. to <u>8</u> ft., and <u>8</u> in. to <u>8</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted <u>No</u> Water Well Disinfected? Yes <u>No</u>
--	--

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>Clamped</u> <u>2</u> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) <u>Welded</u> Blank casing diameter <u>2</u> in. to <u>2</u> ft., Dia <u>2</u> in. to <u>2</u> ft., Dia <u>2</u> in. to <u>2</u> ft. Casing height above land surface <u>2</u> in., weight <u>2</u> lbs./ft. Wall thickness or gauge No. <u>2</u> TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7</u> PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u>Threaded</u> 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot <u>3</u> Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>11</u> SCREEN-PERFORATED INTERVALS: From <u>5</u> ft. to <u>25</u> ft., From <u>5</u> ft. to <u>25</u> ft. GRAVEL PACK INTERVALS: From <u>5</u> ft. to <u>25</u> ft., From <u>5</u> ft. to <u>25</u> ft.

6 GROUT MATERIAL: 1 Neat cement <u>2</u> Cement grout 3 Bentonite 4 Other Grout intervals: From <u>3</u> ft. to <u>5</u> ft., From <u>3</u> ft. to <u>5</u> ft., From <u>3</u> ft. to <u>5</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy <u>11</u> Fuel storage 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? <u>How many feet?</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5'	Silty, brown gray, dense, nodular			
5'	10'	Sand, tan fine grained, unconsolidated			
10'	15'	Sand, tan-gray, medium grained			
15'	25'	Sand, tan-gray, coarse grained, nodular			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, <u>(2)</u> reconstructed, or <u>(3)</u> plugged under my jurisdiction and was completed on (mo/day/year) <u>3/3/98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>483</u> This Water Well Record was completed on (mo/day/yr) <u>5/30/98</u> under the business name of <u>OWENS OIL COMPANY</u> by (signature) <u>[Signature]</u>
--