CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information) RENO County: Location listed as: Location ehanged to: Section-Township-Range: NW Fraction (1/4 1/4 1/4): Other changes: Initial statements: Changed to: COMMENTS: WELL CONSTRUCTED ONLY-NOT PLUGGED, COMPLETION E JUST PRIOR TO DATE WATER LEVEL MEASURED

initials: $\sqrt{3/21}$

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

			WATE	R WELL RECORD . F	orm WWC-5	KSA 82	2a-1212				
- 4	ON OF WAT	ER WELL:	Fraction	111.	Sec	tion Numbe	1	mber	Range Num	_	
County:	reno		NW 1/4		1/4		T 23	S	R 6	E(W)	
				ddress of well if located						- 1	
<u></u>	0137	ate tai	✓ Kd	Hutchinson	1 KS						
		NER: KDHC									
RR#, St. /	Address, Box	# forbes	sfield Bldg7	40			Board of A	griculture, D	ivision of Water F	Resources	
City, State, ZIP Code : To Reka KS 66620 -0001						Application Number:					
LOCATI	IN SECTION	CATION WITH BOX:		OMPLETED WELL /. water Encountered 1.							
. r				WATER LEVEL ./.6							
1	i	- ;	1	test data: Well water					<i>, , , ,</i>	L.	
-	- NW	NE		gpm: Well water							
! }	!!	! !	Bara Hala Diama	eter gpm: vveii water	17 G	II.	aller	nours pun	nping	gpiii	
* w -	-; 	X E							njection well		
-	- i	^	_		Public water		8 Air conditioning		•	low)	
l I-	- SW	SE	1 Domestic		Oil field wa		9 Dewatering 40 Monitoring well		Other (Specify bel	iow)	
	!	! !	2 Irrigation								
	\$		mitted	pacteriological sample su	ibmitted to D		Yes		mo/day/yr sample		
TYPE (OF BLANK C	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOI	NTS: Glued	Clamped	1	
1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify bel	ow)	Welde	d		
@ PV		4 ABS		7 Fiberglass					ded		
Blank casi	ng diameter	1/2	.in. to 15.6	ft., Dia	in. to	 .	ft., Dia 	i	n. to	ft.	
		nd surface. 🔑		in., weight :							
		R PERFORATIO			PV			estos-cemer			
1 Ste	eel	3 Stainles	s steel	5 Fiberglass	C-44-			other (specify)			
2 Bra	ass	4 Galvania	zed steel	6 Concrete tile				lone used (open hole)			
SCREEN (OR PERFOR	ATION OPENIN	IGS ARE: 010	5 Gauze	zed wrapped 8 Saw cut			11 None (open hole)			
	ntinuous slot		Aill slot	6 Wire w			9 Drilled holes		(-)	,	
2 Lo	uvered shutte	_	ev punched	7 Torch	• •		10 Other (specify)			
SCREEN-I	PERFORATE	D INTERVALS:	1.	. 6 ft. to	17.6	ft Fr	om	,			
				ft. to							
	BAVEL PAC	K INTERVALS:	From 17.6	ft. to ./4	5.00	# Fr	om	ft to		ft	
`		on invitation	From	ft. to		ft., Fr				ft.	
GROUT	MATERIAL	1 Neat		2 Cement grout	3 Bento		om 4 Other				
Grout Inter		1	ft. to . 1.5	ft., From . 1.5.	# #		# From		# to	ft	
							estock pens			1	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines				7 Dit priva			•	14 Abandoned water well 15 Oil well/Gas well			
				7 Pit privy							
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lagor				16 Other (specify below) Ory Cleaner			
	•	er lines 6 Seep	page pit	9 Feedyard	13 Insecticide storage How many feet?			200' NW			
Direction f FROM	TO TO		LITHOLOGIC	000	FROM		any feet?	UGGING IN			
	6	R	- Lindlogic	LOG	15				ITERVALO		
6		Drn	Sands	<u> </u>		_/.5	Bentonite	·			
_	10	SITTY	-anas		1,5	0	Cement				
10	17.6	Sands		78.88	-						

					ļ						
				T TWITT PERSONAL	ļ						
					ļ						
										·	
					ļ						
				*							
CONTE	BACTOR'S O	RIANDOWNE	R'S CERTIFICATION	ON: This water well was	s (1) constru	cted (2) ro	constructed or (2) of	unned unde	er my juriediction	and was	
				ON. This water well was			constructed, or (3) proportions true to the best				
				This Water We				•	•	· . i	
	business nan			IIIIS VValer VVe	Hoodid wa						
	Judinios nan	10 01				by (sign	aurej				