		R WELL RECORD F	orm WWC-5	KSA 8	2a-1212	
LOCATION OF WATER WELL:	Fraction			tion Number		Range Number
County: HENO		SE 1/4 SE		23		R 6 W E/W
Distance and direction from nearest to					. 4Th	l de
100 from Main + 14			<u> </u>	<u>/ S // </u>	min Hotchiuso.	v KZ.
WATER WELL OWNER: Wing C						
RR#, St. Address, Box # : 52/						Division of Water Resources
City, State, ZIP Code : Huich	67501	Application Number:  30 ft. ELEVATION:				
B LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	<b>—</b>					
AN A IN SECTION BOX:					t. 2 ft	
ī !!!!	WELL'S STATIC	WATER LEVEL / .	₹ ft. b	elow land	surface measured on mo/day/y	1-29-98
NW NE	Pumi	test data: Well water	was	ft.	after hours p	umping gpm
					after hours p	
	Bore Hole Diame	eterin. to.			., andii	n. to
ž " ! ] ' i ] '	WELL WATER 1	O BE USED AS: 5	5 Public wate	er supply	8 Air conditioning 11	Injection well
SW SE	1 Domestic				9 Dewatering 12	
;;  ;;	2 Irrigation	4 Industrial 7	Lawn and	garden only	10 Monitoring well . 仏央. た	μοων
l	Was a chemical/	bacteriological sample su	ubmitted to D	epartment?	Yes; If yes	s, mo/day/yr sample was sub-
<u>s</u>	mitted			\	Water Well Disinfected? Yes	) No
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS: Glue	ed Clamped
1 Steel 3 RMP (	SR)	6 Asbestos-Cement	9 Other	(specify be	elow) Wel-	ded
2 PVC 4 ABS		7 Fiberglass			Three	eaded
Blank casing diameter 1.6	in. to	ft., Dia	in. to		ft., Dia	. in. to ft.
Casing height above land surface C	<b>7</b>	.in., weight		lb	s./ft. Wall thickness or gauge I	No
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:		7 PV	C	10 Asbestos-cem	ent
Steel 3 Stainle	ss steel	5 Fiberglass			P (SR) 11 Other (specify)	
2 Brass 4 Galvan	ized steel	6 Concrete tile	9 AE		12 None used (o	pen hole)
SCREEN OR PERFORATION OPENI	NGS ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3	Mill slot	6 Wire w	vrapped		9 Drilled holes	
2 Louvered shutter 4	Key punched	7 Torch	cut		10 Other (specify)	
SCREEN-PERFORATED INTERVALS	From. 3c	ft. to	. 1.0	ft., F	From ft.	toft.
	From	ft. to		ft., F	rom ft.	toft.
GRAVEL PACK INTERVALS	S: From	ft. to		ft., F	From ft.	toft.
	From	ft. to		ft., F		
6 GROUT MATERIAL: 1 Near	t cement	2 Cement grout			4 Other	
Grout Intervals: From	ft. to	ft., From	ft.	to	ft., From	ft. to ft.
What is the nearest source of possible	e contamination:			10 Liv	vestock pens 14	Abandoned water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage		
Direction from well?		•			many feet?	
FROM TO	LITHOLOGIC	LOG	FROM	ТО	PLUGGING	INTERVALS
			30	13	ChLORINATEd	SAND
			13	0	CemenT	
				T		
				<u> </u>		
			<u> </u>			
				1		
				1		
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICAT					
completed on (mo/day/year)				and this re	ecord is true to the best of my k	nowledge and belief. Kansas
Water Well Contractor's License No.					ed on (mo/day/yr) . / = . ?	Y. X
under the business name of Gorio	chester F	oods Kosenc	MAN/3-1	Jenty (sig	inature) Bill Whit	ake _
INSTRUCTIONS: Use typewriter or hall noi					rircle the correct answers. Send top thre L OWNER and retain one for your recor	