	011 07			ER WELL RECORD	Form W		KSA 82a			
1 LOCATI		TER WELL:	Fraction	NISSI 44	[Number	Township Nun		Range Number
		n from nearest to	NW 1/4	NW 1/4 N address of well if local	E ¼		1	T 23	<u>S</u>	R 6 E(W)
25 E. 30	oth St., H	utchinson	WIT OF CITY STEEL	address of well if local	tea within	City?				
		NNER: Mark C	Schoule						 -	
		x# : 4003 E.								
City, State,				(5500				-		sion of Water Resources
			ison, Kansas					Application Numb		
WITH A	N"X" IN S	FCTION BOX:								
т –		N								3 ft.
1	9	X								/r
.'	NN/	NE								nping gpm
_ [1	, L								nping gpm
W K	*		Bore Hole Diam	neter11in. to		.32	ft., a	and	in	. to ft.
= "		E	WELL WATER	TO BE USED AS: 5	Public w	ater sup		8 Air conditioning		Injection well
- 1	1		1 Domestic	3 Feedlot 6	Oil field	water su	ipply .	9 Dewatering	(12)	Other (Specify below)
1 1	~ SW ~ ~	- SE	2 Irrigation	4 Industrial 7	Lawn an	d garde	n only 1	0 Monitoring well		Air sparge
↓ L	7000		Was a chemica	al/bacteriological samp	le submitte	ed to De	partment	? YesNo ✓	; If yes,	mo/day/yr sample was
- -		<u> </u>	submitted					ter Well Disinfected	-	No √
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete	tile	CASING JOIN	TS: Gluer	d Clamped
1 Ste		3 RMP (SF	₹)	6 Asbestos-Cement			ecify belo			ed
(2)PV		4 ABS	•	7 Fiberglass			,	···,	_	aded. 🗸
			. in. to							in. to ft.
										lo Sch. 40
		R PERFORATIO		. III., Wolgilt		PVC	IDS./1	t. vvaii triickness oi		
1 Ste		3 Stainless		5 Fiberglass		RMP (S	SD)			
2 Br				•			or())
		4 Galvaniz RATION OPENIN		6 Concrete tile	-	ABS		12 None	usea (op	<i>'</i>
			ill slot		ed wrapp			8 Saw cut		11 None (open hole)
	ontinuous s				wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-F	PERFORAT	ED INTERVALS:	From	3.0		2	ft., Fro	om	ft.	to ft.
_			From			• • • • • •	ft., Fro	om	π.	to
G	KAVEL PA	CK INTERVALS:								to ft.
										to ft.
6 GROUT	MATERIA	L: 1 Neat	cement	2 Cement grout	(3) B	entonite	(4)	Other Concrete		
Grout Inter	rvals: Fro	m	. ft. to \dots 1	ft., From	. 1	. ft. to .	15.	ft, From		ft. to ft.
What is the	e nearest s	ource of possible	contamination:				10 Lives	tock pens	14 A	bandoned water well
1 Sept	tic tank	4 Late	ral lines	7 Pit privy			11 Fuel	storage	15 C	il well/Gas well
2 Sewe	er lines	5 Cess	s pool				12 Fertilizer storage 16 Other (specify below)			
3 Wate	ertight sewe		page pit 9 Feedyard				12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage			
Direction f	•		-	•			How mar			
FROM	TO		LITHOLOGIC	LOG	FRO	M_	TO	PLU	GGING II	NTERVALS
0	0.5	Concrete,								
0.5	4		ndy, moist. m	od. odor, Dark Gr	a					
4	6			dor, Brown w/whi						
6	9			l. odor, Gravish B				W- 100 1174 - 100		
9	13			od. old gas odor, I				14		
13	16			4', Gray to Dark G					-	
										
16	21			rounded, Dark Gr			-			
21	32	Sand (1-c) w/	i-m gravel, we	ell rounded, Brown	1					
				VI-18 to			E	AS8 , Tag # 0037163	4, Flushi	mount
								Project Name: GF -	Danny's S	Service
							(GeoCore # 1282, Kl	OHE # U2	078 00856
7 CONTR	ACTOR'S	OR LANDOWNER	R'S CERTIFICAT	TON: This water well v	vas (1)cc	nstructo				
				4/21/2006						y knowledge and belief.
					vvalel			//	Jayryiy .	יייייי פעעשונגויביי ארי
							7.\	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- 4	
inder the	business n	ame of	Gint pen. PLEASE P	eoCore, Inc.	clearly. Ple	ase fill in b	by (signa	ture) Loc	answers.	.5/19/2006