	R WELI					wwc-				r Resources; App. No.		
1 LOC	ATION O	F WAT	TER W	ELL:	Fraction	56 1/4 5	ا ر ک	Section N	umber	Township Number	Range Nur	, ,
	ty: \<\			arest town or	city street add			lobal Pos	itioning	T Z S Systems (decimal deg	R 0	digits)
	ed within c	eitv?	50	5 6-1	97		1	Latitude:		systems (decimal deg	ices, mm. or 4	digits)
2 WATER WELL OWNER: John Jurny						PJ 20) J]	Longitud	e:			
2 WA	TER WEI	LL OW	NER:	Sohn	lurni]	Elevation	n:			
IXIX#	, St. Addre , State, ZIF	555, DUA	. #	505	12 197	└ ─	,]	Datum:				
1701CM 1730 130 2								Data Coll		Method:		
	LOCATION							ft.				
	H AN "X"	'IN	- + \/									
SEC	TION BO	OX: WELL'S STATIC WATER LEVEL. 15 ft. below land surface measured on mo/day/yr										۾ پ
	Pump test data: Well water was ft. after hours pumping 2.5 g Est. Yield gpm: Well water was ft. after hours pumping gpm: Well water was ft. after hours pumping ft. after hou											
	WELL WATER TO BE USED AS: 5 Public water cumply 8 Air conditioning 11 Injection well										gpiii	
w N	6 Oil field water supply 9 Dewatering 12 Other (Specify be											
	2 Irrigation 4 Industrial (7) Domestic (lawn & garden) 10 Monitoring well										• • • • • • • • • • • • • • • • • • • •	
SY	Was a chemical/bacteriological sample submitted to Department? Yes, No X; If yes, mo/day/yrs											
		Sample was submitted										
S S												
l .	E OF CAS					8 Concr			CASING	G JOINTS: Glued.		
	`		` /		os-Cement		(specify b					
Blank C	PVC asing diame	4 ABS eter	5	7 Fibergla	SS ft Diar	meter -	in	to		Threaded	in to	fi
Blank casing diameter in to ft., Diameter in to ft., Diameter in to ft., Diameter ft., Diameter in to ft., Diameter in the ft., Diameter in												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)												
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped _7 Torch cut 9 Drilled holes 11 None (open hole)												
2 Louvered shutter 4 Key punched 6 Wire wrapped Saw Cut 10 Other (specify)												
From												
GRAVEL PACK INTERVALS: From												
6 GRO Grout In	UT MATI	E RIAL : Fror	: 1 <u>N</u> e	eat cement	2 Cement gro	ut (3 Blen	tonite	4 Other		From		
				ible contamin		, FIOIII	1	ι. ιο	10	, F10III	11. 10	11.
	Septic tank			4 Lateral lines	s 7 Pit privy		0 Livesto	ck pens	13 Ins	ecticide Storage	16 Other (spe	ecify
7 '	Sewer line			5 Cess pool	8 Sewage l		1 Fuel sto	•		pandoned water well	below)	
	Watertight n from wel			6 Seepage pit	•			r Storage feet?		l well/gas well	•••••	
FROM	TO	111 \		LITHOLOG	IC LOG	11	FROM	TO	<i>). J.</i>	PLUGGING INT	ERVALS	
0	L)	Fin	J. (17.	10 20 0		110111	10		12000110111		
Ü	18,		in									
8	13	77	<u>~d/,</u>	fine.								
15	32	GU	ave	Pla s	·u							
			r									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged												
under my jurisdiction and was completed on (mo/day/year) 2.45												
Kansas Water Well Contractor's License No												
under the business name of wilson water Syllemsby (signature)												
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send tog three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone												
785-296-5	522. Send	d one to	o WATE	ER WELL OV						00 for each <u>constructed</u>		it us at
http://ww	w.kdhe.state.k	s.us/geo/	waterwell	S.			•					