	VATER WELL RECO	RD Form WWC-5	KSA 82a-	1212 ID N	0			
1 LOCATION OF WATER WELL:	Fraction	ALL CIL	Sec	tion Number	Township N		Range I	
County: Keno		NW 4 SW	1/4	25	T 23	S	R	0_E/W
Distance and direction from nearest t				, <i>•</i>				
<u>F1-1</u>	(a) farmle	and Elevato	(S, flut	chinson	n Ks			
2 WATER WELL OWNER: FI K	ansas Reme	ediction Trus	t 40	Shaw E	invironme	ntal +	Inhast	racture
RR#, St. Address, Box # : 4400) College Bh	d Suite 3	50		Board of Ag	riculture, D	ivision of Wate	er Resources
City, State, ZIP Code : OVEY	land fark	KS GOZ			Application			
3 LOCATE WELL'S LOCATION WIT					TION:			
AN "X" IN SECTION BOX: N		water Encountered	1 10.5	? ft.	. 2	ft. 3		ft.
	WELL'S STATIC	WATER LEVEL	ft. bek	w land surfac	e measured on mo	/day/yr		••••••
	Fet Vield	p test data: Well wate	er was	M ft. a	after	hours pu	imping	gpm
NW NE	Est. Yield							
	1 Domestic 3 Feedlot 6 Oil field water supply Dewatering 12 Other (Specify below)							
W E	2 Irrigation	4 Industrial 7	Domestic (lav	vn & garden)	Monitoring well	1217	ometer	
1 1								
SW SE	Was a chemical/	bacteriological sample	submitted to I	Department?	/es NoX	; If yes, m	o/day/yrs sam	ple was sub-
	mitted			Wa	ater Well Disinfecte	d? Yes		No 🗶
S								,
5 TYPE OF BLANK CASING USE	D:	5 Wrought iron	8 Concre	ete tile	CASING JO	NTS: Gluer	1 Clam	ned
A Steel 3 RMP (SR)				specify below)		Welded		
(2)PVC 4 ABS		7 Fiberglass			• • • • • • • • • • • • • • • • • • • •	Threa	aded X	
Blank casing diameter	•in. to	10 ft., Dia		in. to	ft., Dia	۱	in. to	ft.
Casing height above land surface		in., weight			lbs./ft. Wall thickne	ess or guage	e No	
TYPE OF SCREEN OR PERFORAT			<u>O</u> v	-		estos-Cem		
1 Steel 3 Stainle		5 Fiberglass		IP (SR)				••••••
2 Brass 4 Galvar	nized Steel	6 Concrete tile	9 AB	5	12 Nor	ie used (op	en hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Guazed wrapped			8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot		6 Wire wrapped 7 Torch cut			9 Drilled holes 10 Other (specify) 1 .			
	Key punched							
SCREEN-PERFORATED INTERVAL	S: From	ft. to	29	ft., From		ft. to		ft.
GRAVEL PACK INTERVAL	S From	p ft. to	24	ft., From		ft. to		ft. ft
		ft. to						
6 GROUT MATERIAL:	eat cement	2 Cement grout	3Bent	onite 4	Other			
Grout Intervals: From	ft. to I.Q	ft., From	ft. t	0	ft., From		ft. to	ft.
What is the nearest source of possib	le contamination:			10 Livest			bandoned wat	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuels	11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		DOther (specify below)		
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage		product plume		
Direction from well?		· · · · · · · · · · · · · · · · · · ·		How many feet?				
FROM TO	LITHOLOGIC	_OG	FROM	то	PLU	GGING IN	FERVALS	
0 4 Silty	lau							
4 II. Silty'S	and clay							
11 24 Fine 1	o modium	sand						
			1					
		······································						
			- Cilleration	unted (2) rec-	netructed or (2) -	lugged und	or my inviation	tion and wee
CONTRACTOR'S OR LANDOWN	5107	UN: This water well w	asurconstru	and this row	cord is true to the b	agged und ast of my ko	owledne and h	elief Kancee
Water Well Contractor's Licence No		This Water	Well Record	was completed	d on (mo/day/yr)	افاف		unor. Nanodo
	adrill Inc			•	signature)	N Pirk	Vavama,	HN
			a fill in blanks				to Kapese Decod	her of Health
INSTRUCTIONS: Use typewriter or ball point and Environment, Bureau of Water, Geology s records. Fee of \$5.00 for each constructed with	pen. <u>FLEASE PRESS FIR</u> Section, 1000 SW Jackson	St., Suite 420, Topeka, Kansa	s 66612-1367. Tel	ephone 785-296-5	522. Send one to WATER	WELL OWNE	R and retain one lo	Lyur Lal