WATER WELL	RECORD	Form WWC-5	Divisi	on of Wat	er Resources; App. No.		
	F WATER WELL:	Fraction SW1/4 SW 1/4 NE	Section 1	Number 3	Township Number T 33 S	Range Number R 6 E/W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits							
located within ci	ty?	Latitude	Latitude:				
				Longitude:			
2 WATER WELL OWNER: South Hutchinson Storage			Elevation	Elevation:			
RR#, St. Address, Box # : 615 N. Main			Datum:	Datum:			
City, State, ZIP Code South Hutchinson, Ks				Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
LOCATION	MINI Death (a) Green devictor Engagement (1) A (2) A (2)						
WITH AN "X"							
SECTION BOX	Pump test data: Well water wasft. after						
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm						
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
WELL WATER TO BE USED AS. 3 Fullic water supply 8 All conditioning 11 injection went 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW SE W							
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted							
S							
5 TYPE OF CASI	NG USED: 5 Wrought 1	fron 8 Concrete	e tile	CASIN	IG JOINTS: Glued*	C Clamped	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued							
	ABS 7 Fiberglass	ft Diameter	in to		Diameter	in to ft	
Blank casing diameter 5 in to 30. ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 18." in, Weight 140. lbs./ft. Wall thickness or guage No. 21.4.							
	OR PERFORATION MATE		•103./ It.	*** 411 1111	tekness of guage 110		
1 Steel 3 Stainless Steel 5 Fiberglass 7-PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
From							
GRAVEL PACK INTERVALS: From. 4-0. ft. to							
From							
				11 7)r.		
	RIAL: 1 Neat cement 2	Cement grout 3 Bento:	nite <u>4 Other</u>	Male.P.	7.u g		
Grout Intervals:	From		It. to		II., From	It. toIt.	
1 Septic tank	4 Lateral lines		Livestock pens	13 In	secticide storage	16 Other (specify	
2 Sewer lines			Fuel storage		bandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well							
Direction from well? West How many feet? 200							
FROM TO	LITHOLOGIC	LOG	ROM TO		PLUGGING INT	ERVALS	
0 3	TOP-5011						
3 8	Brown Clay Med. to Clarse						
8 15	Med. to Clarse.	S&G					
15 40	Med. Sand						
						9 M 311 E 11	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 4 32.09. and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name of Kusererath Bernis Ert. by (signature) Lucas Dades							
INSTRUCTIONS: Use	typewriter or ball point pen. PLEA	SE PRESS FIRMLY and PRIM	T clearly. Please	fill in blanl	ks, underline or circle the c	orrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							