WATER WELL RECORD		Form W	WC-5	Division of Wate	r Resources App. No	o	
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.		
County: Reno		NE4 SE 14 SA	E 1/4 1/4			R 6 □E 🗷 W	
Street/Rural Address		Global Positioning					
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)			
16101 S Kent Rd - Haven			Longitude: (in decimal degrees)  Elevation:				
2 WATER WELL OWNER: Jack Kranz				Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: LZAL E Castleton Rd				GPS unit (Make/Model:)			
				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Haven KS 67543 Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m							
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
1	SECTION BOX: Depth(s) Groundwater Encountered (1)						
N WELL'S STATIC WATER LEVEL3.4ft. below land surface measured on mo/day/yr3-18-19							
Pump test data: Well water was//.oft. after3 hours pumping/2 gpm							
EST. YIELD. /2gpm. Well water was							
W        E   Bore Hole Diameter7							
WELL WATER TO BE USED AS: Public water supply Geothermal Direction well							
Domestic							
Domestic-lawn & garden   Monitoring wen							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected? ☑ Yes ☐ No							
5 TYPE OF CASING USED: Steel 🔀 PVC 🗆 Other							
CASING JOINTS:  Glued  Clamped  Welded  Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel VPVC Other (Specify)							
☐ Stainless Steel ☐ Stainless Steel ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes 🛣 None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS:         From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From 3. ft. to 2.3. ft., From 3. ft. to 4.3. ft., From ft. to ft.							
Grout Intervals: From	1 3 ft. to	ft., From	n 38	ft. to .4.3 ft.,	From	. ft. toft.	
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Feedyard ☐ Feedya							
Direction from well				from well \$2.00			
FROM TO	LITHOLOG	IC LOG	FROM			GGING INTERVALS	
	Clay		1 ROW	TO DITTIO. D.	90 (cont.) <u>or</u> 1 20	GOING INTERVALS	
37 170 Sha	10						
3.74					1000	A12	
				7190181		717 7114	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)316/							
Kansas Water Well Contractor's License No							
under the business name of							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212							
110/1 024 1212							