WATEI	R WELL	RECORD	Form WWC	C -5	Division of Wa	ter Resources; App. No.		
1 LOC		F WATER WELL	: Fraction		Section Number	Township Number	Range Number	
Coun	ty:	Reno	Sk 1/4 Sk 1/4/	VW 1/4	d	T 23 S	R 6 E/W	
Dista	nce and dir	ection from nearest	town or city street address of	well if		ng Systems (decimal de	grees, min. of 4 digits)	
located within city? 2504 A+B			+B Keut Place	Kent Place		Latitude: 38.08200		
					Longitude: <u>697. 94990</u>			
			Dan Pace	B.v.	Elevation:			
	State ZIP	G 1	N Prairie Dunes			1 G-5 - 84		
	City, State, ZIP Code : Kutch, KS 675-02 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					Data Collection Method:		
	ATE WEI	L'S 4 DEPTH	OF CÓMPLETED WELL	¥.0	1	t.		
	LOCATION NUMBER A N. (6V2) AND Develop Consequence of the constant of the con							
	VITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC	TION BOX	WELL'S STATIC WATER LEVEL						
 	Pump test data: Well water was							
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below the supply 12 Other (Specify below the supply 12 Other (Specify below the supply 13 Other (Specify below the supply 14 Other (Specify below the supply 15 Other (Specify below the							
w	2 Irrigation 4 Industrial Domestic (lawn & garden) 10 Monitoring well							
SW	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
	Sample was submitted							
s								
5 TYPE	E OF CAS	ING USED:	5 Wrought Iron 8 Co	ncrete tile	CASI	NG JOINTS: Glued	د Clamped	
1	Steel	3 RMP (SR)	6 Asbestos-Cement 9 Oth	er (specif	y below)	Welded.		
OPVC 4 ABS 7 Fiberglass Threaded								
Blank casing diameter 5 in. to 40 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 6 Saw cut 10 Other (specify)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 aw cut 10 Other (specify)								
From								
GRAVEL PACK INTERVALS: From 22. ft. to 43. ft., From ft. to ft. to ft.								
From ft. to ft., From ft. to ft.								
CODOMENNA TERRITARIA DA COMO CONTRA DA COMO CONTRA DA COMO CONTRA DA COMO COMO COMO COMO COMO COMO COMO COM								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
Grout Intervals: From								
What is the hearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify								
	Sewer line		ss pool 8 Sewage lagoon	11 Fuel s		Abandoned water well		
			epage pit 9 Feedyard	12 Fertil	izer storage 15	Oil well/gas well		
Directio	n from wel	1?\$	·····	How ma	ny feet?			
FROM	ТО		THOLOGIC LOG	FRON		PLUGGING IN		
0	9	Br Clau						
9	43	Br Clay Sand & G	inave/					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of Miller Drilling by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								