WATER WELL RECORD		Form WWC-5		Div	vision of Water	r Resources App. No	),			
1 LOCATION OF WATER WELL:		Fraction		Section	n Number	Township No.	Range Number			
County: Reno		1/4 NW1/4 SW1/4 5E1/4			2	T 23 S		W		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information:  Latitude:						
912 W 18th in Hutchinson				Elevation:						
2 WATER WELL OWNER: Connie Ankenman				Collection Method:						
RR#, Street Address, Box #: 2002 E 35-24 Ave				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
	4ch, KS 675	-02	Est. Accuracy:				y			
3 LOCATE WELL WITH AN "X" IN	A DEPTH OF	COMPLETED WEI	1 40		ft					
SECTION BOX:						ft. (2) ft. (3) ft.				
WELL'S STATIC WATER LEVELft.					below land surface measured on mo/day/yr. 1/2 -1/ft. after					
NW NE	gpm. Well water	11 water was ft. after hours pumping gpm								
W	eter . 8.5in. to .									
WELL WATER TO BE USED AS: ☐ Public w  SW SE ☐ Domestic ☐ Feedlot ☐ Oil field w				ter supply						
☐ Irrigation ☐ Industrial ☑ Domestic-law					den 🔲 Mo	nitoring well				
Was a chemical/bacteriological sample submitted to						Yes 🗶 No				
S If yes, mo/day/yr sample was submitted Water well disinfected? 🔀 Yes 🗌 No				• • • • • • • • • • • • • • • • • • • •	•••••					
5 TYPE OF CASING USED: Steel 🔀 PVC 🗆 Other										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to fi., Diameter in to fi., Diameter										
Casing diameter										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel       ☐ Stainless Steel       ☑ PVC       ☐ Other (Specify)         ☐ Brass       ☐ Galvanized Steel       ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From							ft.			
		. ft., From	ft. 1	to	ft.					
GRAVEL PACK INTERVALS: From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.										
Grout Intervals: From										
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)										
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage					e Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer st Direction from well Distance					Oil well/ga					
FROM TO	LITHOLOG		FROM	TO			IGGING INTERVAI			
0 6 Br	clay									
6 10 F-0	c Sand									
10 43 San	d + Grac	, e/								
	WHITE THE PARTY OF									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛮 constructed, 🗆 reconstructed, or 🗀 plugged										
under my jurisdiction and was completed on (mo/day/year)										
under the business name of Miller Drilling by (signature) and Meller										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FYMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5524. Sen-	d one copy to WAT									
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212										