WATER WELL RECORD	Form WW	C-5	Division of Wate	r Resources App. No		
1 LOCATION OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Reno	1/4 NW 1/4 NW 1/	/4 /Y W 1/4	25	T 23 S	R 6 □E ☑W	
County: Reno 1/4 NW 1/4 NW 1/4 NW 1/4 Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
15 E Aue F in S. Hutchinson			Longitude: (in decimal degrees) Elevation:			
			Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
2 WATER WELL OWNER: Dave Bryant RR#, Street Address, Box #: Gity State 7IP Code 4 Hazel Ln			GPS unit (Make/Model:)			
City, State, ZIP Code : 5. Hutch, K5 67505			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL	17ch, KS 673	. 03	Est. Accuracy:	3 m, ∐ 3-5 m, ∐	5-15 m, <u></u> >15 m	
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL .	40	ft.			
SECTION BOX: Depth(s) Groun	dwater Encountered (1	.),	ft. (2)	ft. (3	3) ft.	
N WELL'S STAT	N WELL'S STATIC WATER LEVEL					
EST. YIELDgpm. Well water was						
W Bore Hole Diameter . 8.5in. toft., andin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
☐ SW - SE - ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well						
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well						
S If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? ▼ Yes □ No						
5 TYPE OF CASING USED: Steel Y PVC Other						
CASING JOINTS:  Glued  Clamped  Welded  Threaded						
Casing diameter 5 in. to 40 ft., Diameter in. to						
Casing height above land surface						
☐ Steel ☐ Stainless Steel         ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut, Other (specify)						
Louvered shutter    Key punched    Wire wrapped    Saw cut    Other (specify)						
From						
GRAVEL PACK INTERVALS: From AA ft. to 4.3 ft., From ft. to ft.  From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)  Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
X Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well		Distance	from well			
FROM TO LITHOLOG	GIC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 11 Br Clay 11 27 F-M Sand						
11 27 F-M Sand 27 43 Sand + Sm 6	Sharal					
2/ 13 3ng 4 3m 6						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed, □ reconstructed, or □ plugged						
under my jurisdiction and was completed on (mo/day/year)// and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No//. Z This Water Well Record was completed on (mo/day/year)/						
under the business name of Miller Drilling by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau of	Water, Geolo	ogy Section, 1000 SW Ja	ackson St., Suite 420,	Горека, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212			-			