WATER WELL RECORD	Form W	WC-5	Division of Wate	r Resources App. No		
1 LOCATION OF WATER WELL:	Fraction	SE		Township No.		
County: Reno	1/4 NW1/4 NC	U1/4 # 1/4	25		R 6 □E X W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here . Latitude:						
	Elevation:					
2 WATER WELL OWNER: A RUD Co. Public Looks			<u>Datum</u> : ☐ WGS 84, ☒ NAD 83, ☐ NAD 27			
here es fuere			Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: City, State, ZIP Code:			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
5 /	lutch, KS 6	7504		3 m, ½ 3-5 m, □:		
1.2 LOCATE WELL	COMPLETED WEL		ft			
SECTION BOX: Depth(s) Groun	SECTION BOX: Depth(s) Groundwater Encountered (1)					
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr7—6—1/						
Pump test data: Well water wasft. after						
EST. YIELDgpm. Well water wasft. after hours pumpinggpm						
W Bore Hole Diameter						
Domestic Deadlet Dill field water cumby Dayyatering Dother (Specify below)						
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water will distincted: 12 Tes 110						
5 TYPE OF CASING USED: Steel PVC Other Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft., Diameter ft., Diameter ft., Diameter ft.						
Casing height above land surface. 12. in., Weight3.32lbs./ft., Wall thickness or gauge No160.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
Grout Intervals: From						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well ☐ Seepage pit ☐ Feedyard ☐ Distance from well ☐ Seepage pit ☐ Feedyard ☐ Distance from well ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Distance from well ☐ Seepage pit ☐ Feedyard ☐ Feedyard ☐ Feedyard ☐ Feedyard ☐ Oil well/gas well ☐ Distance from well ☐ Seepage pit ☐ Feedyard ☐ Feedyard ☐ Feedyard ☐ Oil well/gas well ☐ Oil wel						
FROM TO LITHOLOG		FROM			GGING INTERVALS	
0 12 Br + Gr Cla		TROM	TO LITTO. D	<u> </u>	JOING INTERVALS	
12 34 Jand + Gr						
	A MALE					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖸 constructed, \Box reconstructed, or \Box plugged						
under my jurisdiction and was completed on (mo/day/year)						
under the business name of Miller Drilling by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health Telephone 785-296-5524. Send one copy to WA	and Environment, Bureau TER WELL OWNER and	of Water, Geol	ogy Section, 1000 SW Ja-	ckson St., Suite 420, T	opeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						