WATER WELL F	RECORD	Form W	WC-5	Di	vision of Water	r Resources App. N	0.		
<b>1 LOCATION OF WATER WELL:</b>		Fraction		Sectio	Section Number Township No.			Range Number	
			NE 1/4 NW 1/4 NE 1/4 NW 1/4		26	<u>T 23 S</u>	R 6	DE <b>Z</b> W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here $\checkmark$ .				Globa	Global Positioning System (GPS) information: Latitude: .38.02763				
nom nearest town of mersection. If at owner's address, energy inter with				Long	Longitude: 097.95139 (in decimal degrees)				
					Elevation: 1530				
2 WATER WELL OWNER: Mark Bergan					Datum: 🔲 WGS 84, 🔲 NAD 83, 🗹 NAD 27				
2 WATER WELL OWNER: Mark Bergan RR#, Street Address, Box #: 1 Savannah Dr.					Collection Method:				
City, State, ZIP Code : South Hutchinson, Kansas 67505				Digital Map/Photo, 🗹 Topographic Map, 🗌 Land Survey					
					Est. Accuracy: $\square <3 \text{ m}$ , $\blacksquare 3-5 \text{ m}$ , $\square 5-15 \text{ m}$ , $\square >15 \text{ m}$				
3 LOCATE WELL   WITH AN "X" IN 4   DEPTH OF COMPLETED WELL 40					ft.				
SECTION BOX:	DX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft								
N	WELL'S STATIC WATER LEVEL								
Pump test data: Well water wasft. aft									
W NW NE E EST. YIELD								gpm	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-									
Industrial 🗹 Domestic-lawn & garden 🛄 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes V No S If yes, mo/day/yr sample was submitted									
mile  Water well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS:  Glued Clamped Welded Threaded									
Casing diameter 0,									
Casing height above land surface. 16 in., Weight .160									
TYPE OF SCREEN OR PERFORATION MATERIAL:   Steel Stainless Steel   V Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From. 40. ft. to									
From									
Grout Intervals: From .17									
What is the nearest so	*		☐ Livestock		<b></b>		<i>(</i>		
				ck pens Insecticide storage Other (specify below) rage Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer				torage Oil well/gas well					
Direction from we									
FROM TO	LITHOLOG	HC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING I	NIERVALS	
	p own clay		++			· · · · · · · · · · · · · · · · · · ·		······································	
	dium sand	*****							
		**********							
							. , , , , , , , , , , , , , , , , , , ,	<del></del>	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖉 constructed, 🗌 reconstructed, or 🗋 plugged under my jurisdiction and was completed on (mo/day/year) .10:28-2011 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 10-28-2011									
under the business name of Rosencrantz-Bemis Enterprise by (signature) Wanull a. Wodan									
<b>INSTRUCTIONS:</b> Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/wa KSA 82a-1212	aterwell/ind <b>e</b> x.html.			C	heck . 7 w	hite Copy, 📘 Bl	ue Conv	Pink Copy	
				-	····· • • • • • • • • • • • • • • • • •	······································		00pj	