WATER WELL RECORD		Form WWC-5		Di	ivision of Wate	er Resources App. No	0.	
1 LOCATION OF WATER WELL: County: 2000		Fraction 14N		Secti	on Number	Township No.	Range Number R DE WW	
Street/Rural Address of			al Positioning	System (GPS) in				
from nearest town or intersection: If at owner's address, check here Latitude:								
	,	Long	Longitude: (in decimal degrees) Elevation:					
2 WATER WELL OWNER: Yallo Shoff					Collection Method:			
RR#, Street Address, Box #:								
2 WATER WELL OWNER: Palla Shaffv RR#, Street Address, Box #: 2812 N monroe City, State, ZIP Code Hutchinson, KS 67502					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
2 LOCATE WELL	HUTCH	inson, W	61205	Est. A	Accuracy: \(<	3 m, ∐ 3-5 m, ∐	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN	i .	COMPLETED WE	, , ,	`	f.			
SECTION BOX:	Denth(s) Ground	water Encountered	(1)	ft	(2)	ft (3) - 16	
N	WELL'S STATIC WATER LEVEL 15. If below land surface measured on mo/day/yr 11.18.11							
	Depth(s) Groundwater Encountered (1)							
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm								
W NW NE E ST. YIELD								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL	Neat ceme	ent Cement grou	ut Bento	nite L	☐ Other	E	Α	
Grout Intervals: From	a of mossible comts	Nπ., Fro	m	π. το	II.,	From	. tt. tott.	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer l	ines	it Feedyard	Fertilizer		Oil well/ga			
Direction from well			Distance	from we	ح ط ell			
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0 10 Ein	n Black	CDIM						
10 14 FIN	1 Sand							
14 15 Sm	all dian	U						
15 32 020	x 5121	grand						
1		<u> </u>						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No.								
under the business name of San Later System by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	u of Water, Geol	logy Section	on, 1000 SW Jac	ckson St., Suite 420, 7	Горека, Kansas 66612-1367.	
Telephone 785-296-5522. Ser		ER WELL OWNER and	I retain one for	your recor	rds. Include <u>fee</u>	of \$5.00 for each co	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212								
1207 020 1212								