

WATER W			WWC-5 1077	D	ivision of Wat			W-II ID	
Original Record Correction Changer I LOCATION OF WATER WELL:						urces App. No. tion Number Township Nur		Ber Range Number	
County:			1/4 1/4 1/4		1			R	$\Box E \Box W$
2 WELL OW Business: Address: Address:	NER: La		First:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:				
City:	тт	State:	ZIP:						
			IPLETED WELL: .						
SECTION DUA: $\frac{1}{2}$ ft			Encountered: 1)		Long	gitude			(decimal degrees)
Ν			2) ft. 3) ft., or 4) □ D WELL'S STATIC WATER LEVEL:				WGS 84 □ NAD Latitude/Longitude:	83 [] [AD 27
		below land surface	-yr)		GPS (u	init make/model:)	
NW N	νЕ		, measured on (mo-day-			(W	VAAS enabled?	Yes 🗌 N	
WX E		Pump test data: Well w after hours		Land Survey Topographic Map Online Mapper:					
		Well v			□ Online Mapper:				
		after hours pumping gpm			6 Flowstion: ft Gr				
		Estimated Yield:	0 1	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
S		Bore Hole Diameter:	in. to						
7 WELL WATER TO BE USED AS:									
1. Domestic:		5. 🗌 Public Wa					ld Water Supply: lease		
			ng: how many wells?		11. Test Hole: well ID				
			echarge: well ID		Cased Uncased Geotechnical				
			al Remediation: well II		12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical				
3. ☐ Feedlot			e 🗌 Soil Vapor I	b) C	b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft.									
Casing diameter in. to it., Diameter in. to it., Diameter in. to it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)									
Brass Galvanized Steel Concrete tile None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft.									
Septic Tank	1	Lateral Line	es 🗌 Pit Privy	C	Livestock P	Pens	🗌 Insectici	de Storage	;
Sewer Lines		Cess Pool	Sewage La		Fuel Storage		Abandor		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
Other (Specify) Direction from well? ft.									
	TO	LITHOLO		FROM			HO. LOG (cont.) or l	PLUGGIN	G INTERVALS
├ ─── ├ ──									
<u>├</u>					-				
					1				
						L			
				Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.									
Kansas Water V	Well Cont	tractor's License No	This Wa	ater Well Re	ecord was co	omplet	ed on (mo-day-year	ar)	-
under the busin	ess name	of end one copy to WATER W	/ELL OW/NED and matrice	one for your	corde Eccef [¢]		r and constructed w-11		
KS Department of		end one copy to WATER wild Environment, Bureau of W							e 785-296-3565.
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									