

		RECORD	-	· · · C-3	3549		ion of Wate						
				e in Well Use		Resources App. No							
1 LOCATION OF WATER WELL:			Fraction				on Number Township Num						
County				1/4 1/4					R				
						Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
Address:	Address:												
City: 3 LOCAT													
WITH "			EPTH OF COMPLETED WELL:										
	SECTION BOX: N Depth(s) Groundwater Encountered: 1)						Longitude:						
Ν	N					Datum: WGS 84 NAD 83 NAD 27							
			WELL'S STATIC WATER LEVEL: ft below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:					
NW	NE		above land surface, measured on (mo-day-yr)					(WAAS enabled? ☐ Yes ☐ No)					
		Pump test da	Pump test data: Well water was ft.					□ Land Survey □ Topographic Map					
W	- E	after	after hours pumping					Online Mapper:					
SW	SE	often	Well water was ft.										
			after hours pumping gpm Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC					
	S		Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map						
1 r	nile		in. to f				Other						
7 WELL WATER TO BE USED AS:													
1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease . 													
Housel			6. Dewatering: how many wells?						well ID				
				Recharge: well ID					Uncased C				
2. Irrigati	□ Livestock 8. □ Monitoring: well ID □ Irrigation 9. Environmental Remediation: well ID								al: how many bores Loop 🔲 Horizonta				
3. Feedlo		Soil Vapor Extraction				oop 🔲 Surface Dis							
4. 🔲 Industr													
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? \Box Yes \Box No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)													
		Key Punch	ied 🗌 W	ire Wrapped			ne (Open H		(~F)/				
					ft., F	rom	ft. to	o	ft., From	ft. to	ft.		
SCREEN-PERFORATED INTERVALS: From ft. to ft. ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
				ft., From	ft. to		ft., From		ft. to	ft.			
Septic		ole contaminatio	on: Lateral Line	es 🗌 Pit Privy			ivestock Pe	ns	☐ Insectic	ide Storage			
							uel Storage						
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well													
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) Distance from well? ft.													
									<u> ft.</u>	DLUCODI			
10 FROM	TO	L	ITHOLOG	JICLOG	FRC	DM	ТО	LIII	HO. LOG (cont.) or	PLUGGIN	GINTERVALS		
					Note	s:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)													
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
-				Vater, Geology Section,	1000 SW Ja	ckson St	t., Suite 420,	Tope	ka, Kansas 66612-136'				
visit us at h	up://www.kdf	eks.gov/waterwell	/index.ntml							K.	SA 82a-1212		