V PA 1 12	K WELL	RECURD	1.01 111	** ** C-3	יוט	ision of wa	ater itese	urces; App. No.		
		WATER WELL: Reno		SE ¼						Range Number R 6 W
Distance a	and direction	Reno on from nearest town 1515 S. Main, South	or city street	address of	well if C	Global Pos Latitude:	sitioning N 38	System (decimal	degree	s, min. of 4 digits)
	,	,	ŕ			Longitude	e: W 97	7.94070°		
2 WAT	ER WELL	OWNER: Burks Box # : 1515 S	Main			Elevation	RIM	: 1535.60; TOC:	1535.2	.8
City, S	State, ZIP C	Code : South I	Hutchinson, K	ZS 22		Data Colle	ection N	fethod: legal sur	vey	
3 LOCA	TE WEL	L'S 4 DEPTH OF	COMPLET	ED WEL	L 29.52			ft.		
LOCA	ATON)				MW7				
!	I AN "X" l	N Depth(s) Groun	idwater Enco	untered 1			ft. 2	ft	. 3	ft. y/yr 7/2/15
SECT	ION BOX	: WELL'S STA	IC WATER	LEVEL	19.31 ft	i. below la	nd surfa	ce measured on 1	no/day	//yr 7/2/15
	N :		test data: V	Well water	was	π,	after	nours pi	ımpıng	g gpm
	,		PTO BETTS	FD AS: 5	Public w	ater sunnis	ALLEI	conditioning 1	ımpıng 1 Inie	g gpm
1	/X									(Specify below)
w - 		E 2 Irrigation 4	Industrial 7	Domestic	(lawn & s	garden) (10)Moni	itoring well		(specification)
-sw	/	4 "			`		_			
										yes, mo/day/yrs
	S	Sample was sul	omitted			V	Water W	ell Disinfected?	Yes	No X
5 TYPE	OF CASI	NG USED: 5	Wrought Iro	n	8 Concre	te tile	CASI	NG JOINTS: G		
1 Ste	eel	3 RMP (SR) 6	Asbestos-Ce	ment 9	9 Other (specify be	low)	W	elded	
(2) PV	C.	4 ABS 7	Fiberglass					Th	reade	1 X
Blank cas	ing diamete	4 ABS 7 er 2 in to and surface 0.3	19.52 ft.,	Dia		n. to	ft.,	Dia	in. to	ft.
Casing hei	ght below is	and surface 0.3 OR PERFORATION	I II., We	ight r		lbs./	rt. Wal	i thickness or gai	ige No	'·
1 Ste	el 3 Stai	nless steel 5 Fib vanized steel 6 Co	perglass 7) PVC	9 A	BS		11 Other (speci	ifv)	
2 Bra	ass 4 Gal	vanized steel 6 Co	ncrete tile 8	RM (SR)) 10 A	sbestos-C	ement	12 None used (open l	iole)
ISCREEN	OK PEKFO	DRATION OPENIN	GS AKE:							
2 Lo	nunuous si uvered shu	ot 3 Mill slot	d 6 Wire	wrapped wrapped	8 Saw	n cut Cut	9 Drille 10 Other	r (specify)	ione (o	pen noie)
SCREEN-	PERFORA	tter 4 Key punche TED INTERVALS:	From	19.52	ft. to	29.52	ft. Fro	om	ft. to	ft.
			From		ft. to		ft. Fro	m	ft. to	ft.
GR	AVEL PAG	CK INTERVALS:	From	18	ft. to	29.86	ft. Fro	m	ft. to	ft.
			From		It. to		ft. Fro	om	ft. to	tt.
6 GROU	JT MATE	RIAL: 1 Neat cem	ent 2 Cem	ent grout	(3) Bento	nite (Other	Concrete: 0-1'		
Grout Inte	rvals F	rom 1 ft. to	18 ft. I	From	ft.	to	ft.	From	ft	. toft.
		ource of possible con			0.1.	,	10.1			
	tic tank er lines	4 Lateral lit 5 Cess pool	nes 7 Pit priv	y e lagoon (1	0 Livesto			cticide Storage ndoned water we		6 Other (specify
		er lines 6 Seepage p						well/ gas well	111	below)
	from well?					feet? ~12		8		
FROM	TO	LITHOL	OGIC LOG		FROM	TO		PLUGGING I	NTER	VALS
0	15	Dark brown clayey								
15	29.86	Tan/pale red very	ine to fine si	lty sand						
		Caliche stringers								
					-	+				
						+			57	
7 CONTI	RACTOR'	S OR LANDOWNE	R'S CERTI	FICATIO	N: This w	ater well w	as (Dco	nstructed, (2) recor	nstructe	ed, or (3) plugged
under my ju	risdiction ar	nd was completed on (r	no/day/year)	6/30	0/15	and this i	record is	true to the best of	ny kno	wledge and belief.
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (new year) 9/24/15 under the business name of Larsen & Associates, Inc. by (signature)										
		fill in blanks or circle the					nortment o	of Health and	mert D	uranı of W
Geology Sect	ion, 1000 SW	Jackson St., Suite 420, T	opeka, Kansas 6	6612-1367. T	Telephone 78	85-296-5522.	. Send on	e to WATER WALL	OWNE	R and retain one for
your records.	ree of \$5.00	for each constructed well	. Visit us at http	://www.kdhe	ks.gov/water	rwell.				

TRITERRA LAND SERVICES

P.O. Box 546 Clearwater, Kansas 67026 Cell (316) 648-3617 Fax (620) 584-4371 Email: triterrals@yahoo,com

SURVEYING OF MONITORING WELLS CENTRAL TRAVEL PLAZA, LLC SOUTH HUTCHINSON, KANSAS

The above site is located in Section 35, Township 23 South, Range 6 West of the Sixth Principal Meridian, Reno County, Kansas. The Northeast corner of Sections 35 was assigned coordinates of 5280.00 North and 00.00 West.

The vertical control was a construction BM obtained from KDOT for projects 50-78k-7409-01 and 50-78k8257-01, described as BM#19C: "A" in Aniston on top ring of the fire hydrant 22.1(m) Rt of Sta. 5+227.1(m), elev. 469.944(m). A control point was established as a chiseled "X" on top of the east end of a RCP under the site entrance.

The Latitude and Longitude were recorded from a GPS unit. The site is located on the 7.5' quad map titled "Hutchinson".

ID	NORTH	WEST	LATITUDE	LONGITUDE	ELEVATION
NE CORNER 35-23S-6W	5280.00	00.00			
CP	3329.48	197.19	38.00783	97.94093	1536.62
MW-1 SE NE SE NE	3424.46	250.36	38.00810	97.94111	RIM 1538.63 TOC 1538.38
MW-2 SE NE SE NE	3323.65	302.63	38.00783	97.94129	RIM 1538.80 TOC 1538.54
MW-3 SE NE SE NE	3503.45	306.97	38.00832	97.94128	RIM 1539.28 TOC 1538.97
MW-4 SW NE SE NE	3431.61	414.70	38.00813	97.94167	RIM 1538.03 TOC 1537.74
MW-5 NE NE SE NE	3742.45	205.92	38.00897	97.94092	RIM 1538.24 TOC 1538.02
MW-6 SE NE SE NE	3500.52	178.31	38.00828	97.94085	RIM 1537.82 TOC 1537.56
MW-7 SE NE SE NE	3411.16	134.00	38.00806	97.94070	RIM 1535.60 TOC 1535.28
MW-8 SE NE SE NE	3574.47	129.38	38.00850	97.94068	RIM 1538.47 TOC 1538.27



RECEIVED

OCT 14 2015

BUREAU OF WATER