KOLAR Document ID: 1472574

WATER WELL F	_	-	WWC-5 ge in Well Use		ivision of Wa			Well ID			
Original Record Correction Chang			Fraction	Resources App. No Section Number			Township Number Range Numbe		a Number		
County:				4 ¹ / ₄					$\Box E \Box W$		
county.					or Rural Address where well is located (if unknown, distance and						
					direction from nearest town or intersection): If at owner's address, check here:						
Address:											
Address:		State:	ZIP:								
City: 3 LOCATE WELL											
WITH "X" IN 4 DEPTH OF COMPLETED WELL:					ft. 5 Lati	5 Latitude:(decimal degrees)					
SECTION BOX:	Depth(s) G			Lon	Longitude:(decimal degrees)						
N			3) ft., or 4)			Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27					
		WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr).					Latitude/Longitude:		、 、		
		above land surface, measured on (mo-day-yr)				□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)					
NWNE		data: Well water was ft.				Land Survey Topographic Map					
W E			s pumping		Online Mapper:						
SW SE		Well v				••					
		hour	. gpm	6 Elev	ation	::ft.	Ground	i Level □ TOC			
S	Estimated Y Bore Hole I		ft and		Source: Land Survey GPS Topographic Map						
1 mile	Dore Hole I										
1 mile in. to ft. Other 7 WELL WATER TO BE USED AS:											
1. Domestic: 5.						10. 🗌 Oil Field Water Supply: lease					
Household	old 6. Dewatering: how many wells?				. 11. Test	11. Test Hole: well ID					
Lawn & Garden					Cased Uncased Geotechnical						
Livestock 2. Irrigation		8. Monitoring: well ID				12. Geothermal: how many bores?					
3. Feedlot	9. Environmental Remediation: well ID					a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water					
4. Industrial							13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE ? Yes No If yes, date sample was submitted:											
Water well disinfected? \Box Yes \Box No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Stainless Steel PVC Other (Specify)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the second sec											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft. to ft. or ft. to ft.											
Nearest source of possib		on: No Lateral Line	o potential source of co es		Livestock F	Done	☐ Insectio	ida Storage			
Sewer Lines		Cess Pool	\square Sewage L		Fuel Storag						
	□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
□ Other (Specify)											
Direction from well?											
10 FROM TO]	LITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
<u>├</u> ───┤											
					1						
					1						
				Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No											
under the business nam	e of										
	Send one copy t	o WATER W	ELL OWNER and retain	one for your re	cords. Fee of S	\$5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											