**			14/4-	ED WELL DECORD		NO E VOA	90- 1010	H	P-1	l/e	
1 LOCATIO	ON OF WAT	ER WELL:	Fraction	ER WELL RECORD		Section Nun	82a-1212 ber Tow	nship Number	Ra	inge. Nur	mber
County:	Reno		0.70	/4 NW 1/4	$sw_{_{1/4}}$	1	Т	2 <b>3S</b> S	R	6W	E/W
	nd direction	from nearest tow	on or city street	address of well if lo	cated within	city?					
O WATER				ttison Air G		ing & Hea	ting (	wner: Char	rles Cr	ai g	
	R WELL OW	14211.	O West 2nd					ard of Agriculture		_	Bassuraan
	Address, Bo			KS 67501				ŭ	•	or vvaler	Resources
	, ZIP Code						<del>-</del>	plication Numbe			
AN "X"	IN SECTION	N BOX:	 Depth(s) Groun	COMPLETED WELL	1 1	22	.ft. 2	ft	. 3		ft.
Depth(s) Groundwater Encountered 1. 22 ft. 2. ft. 3. Depth(s) Groundwater Encountered 1. 22 ft. below land surface measured on mo/day/yr 3 /8/82 WELL'S STATIC WATER LEVEL . 22 ft. below land surface measured on mo/day/yr 3 /8/82 mo Pump test data: Well water was ft. after hours pumping										B/82	gpm
. w L		<u> </u>	Bore Hole Dian	neter . 🎞 in.	. to <b>50</b>		.ft., and				
* w -		!   '	WELL WATER	TO BE USED AS:	5 Public	water supply	8 Air cond	ditioning 1	11 Injection	well	
7	(X)		1 Domesti	c 3 Feedlot	6 Oil fiel	d water suppl	y 9 Dewate	ring · 1			
		3	2 Irrigation				nly 10 Observ		Dispo		
	i		Was a chemica	ıl/bacteriological sam	ple submitted	to Departmen	t? Yes	.No <b></b> ; If y	es, mo/day/	yr sampl	le was sub-
I _	\$		mitted	1 :			Water Well D	sinfected? Yes		No 3	XX
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 C	oncrete tile	CAS	ING JOINTS: GI	ued 🗶	. Clampe	d
 1 Ste	eel	3 RMP (SF	<b>R</b> )	6 Asbestos-Cem	ent 9 C	ther (specify	below)	W	elded		
2 PV	C	4 ABS	,	7 Fiberglass				<b>T</b> h	readed		
		5	.in. to <b>Ω</b> .		5	n. to <b>20</b>	ft Dia	1	in. to		ft.
Blank casing diameter 5 in. to 0 ft., Dia 5 in. to 20 ft., Dia in. to ft.  Casing height above land surface . 18 in., weight in., weight lbs./ft. Wall thickness or gauge No 216											
•	-	R PERFORATION		, woight		7 PVC	Do./1t. VVan tri	10 Asbestos-ce		• • • • • •	
				5 Fiberglass	-	RMP (SR)					
1 Steel 3 Stainless steel				•		9 ABS		11 Other (specify)			
2 Brass 4 Galvanized steel				6 Concrete tile			0.00				hala\
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped							8 Saw o		11 Nor	ne (open	noie)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											ľ
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS:         From											
	BRAVEL PA	CK INTERVALS:	From	<b>10</b> ft. 1	to 🎾	ft.	, From	f	t. to		ft.
			From	ft.	to	ft.	, From	f	t. to		ft.
6 GROUT	MATERIAL	: 1 Neat o	cement	2 Cement grout	3 1	Bentonite	4 Other				
Grout Intervals: FromOft. to1Oft., Fromft. toft., Fromft.											
What is the	e nearest so	urce of possible	contamination:			10 1	_ivestock pens	14	Abandone	d water	well
1 Septic tank 4 Lateral lines				7 Pit privy	,	11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			pool	8 Sewage		•			16 Other (specify below)		
		er lines 6 Seep	•	9 Feedyar		13 Insecticide storage					
Direction f	•	ccs	ago pri	o i ocaya			many feet?	.go			
FROM	TO		LITHOLOGIC	CLOG	FRC		rinarry reet:	LITHOL	OGIC LOG		
	3	Top Soil	Limbeodic	0 200		10		2.11.02	00.0 200		
0	-	-									
3	10	Clay									
10	51	Medium sar		•							
51	55	Clay with	little se	md							
55		Clay									
			******								
			****								
											***
J								(0)			
				TION: This water we							
completed on (mo/day/year)											
Water Well Contractor's License No											
under the business name of Rosencrants Beans Int. by (signature) Winner Schootissick											
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top											
three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.											
OWNER a	ınd retain or	e ioi your recom									