

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>		<u>SW 1/4 NE 1/4 NE 1/4</u>	<u>1</u>	T <u>23</u> S	R <u>6</u> EW <u>(1)</u>
Distance and direction from nearest town or city street address of well if located within city? <u>73 Random Rd Hutchinson</u>					
2 WATER WELL OWNER: <u>Miriam Falk</u>					
RR#, St. Address, Box #: <u>73 Random Rd</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code: <u>Hutchinson Kan 67502</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>35</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. <u>19</u> ft. 3. <u>19</u> ft.			
		WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>1-13-90</u>			
		Pump test data: Well water was <u>20</u> ft. after <u>1</u> hours pumping <u>30</u> gpm			
		Est. Yield <u>50</u> gpm: Well water was <u>20</u> ft. after <u>6</u> hours pumping <u>35</u> gpm			
		Bore Hole Diameter <u>9</u> in. to <u>20</u> ft., and <u>6</u> in. to <u>35</u> ft.			
WELL WATER TO BE USED AS:					
5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    (7) Lawn and garden only    10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....X.....; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:					
1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: Glued X Clamped (2) PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded Blank casing diameter <u>6</u> in. to <u>25</u> ft., Dia.    7 Fiberglass    Threaded					
Casing height above land surface <u>12</u> in., weight <u>250</u> lbs./ft. Wall thickness or gauge No. <u>250</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    10 Asbestos-cement 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot    3 Mill slot    5 Gauzed wrapped    8 Saw cut    11 None (open hole) 2 Louvered shutter    4 Key punched    6 Wire wrapped    (9) Drilled holes 7 Torch cut    10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>25</u> ft. to <u>35</u> ft., From <u>25</u> ft. to <u>35</u> ft., From <u>25</u> ft. to <u>35</u> ft.					
GRAVEL PACK INTERVALS: From <u>25</u> ft. to <u>35</u> ft., From <u>25</u> ft. to <u>35</u> ft., From <u>25</u> ft. to <u>35</u> ft.					
6 GROUT MATERIAL:					
1 Neat cement    (2) Cement grout    3 Bentonite    4 Other Grout intervals: From <u>3</u> ft. to <u>20</u> ft., From <u>20</u> ft. to <u>35</u> ft., From <u>20</u> ft. to <u>35</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well (3) Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below) 13 Insecticide storage					
Direction from well? <u>South</u> How many feet? <u>25</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Sandy soil			
2	11	Sandy clay			
11	16	fine sand			
16	20	fine gravel			
20	35	medium gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-13-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>193</u> This Water Well Record was completed on (mo/day/yr) <u>6-25-90</u> under the business name of <u>Price Water Well Serv.</u> by (signature) <u>John Davenport</u>					