

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>		<u>SW 1/4 SW 1/4 SE 1/4</u>	<u>2</u>	<u>T 23 S</u>	<u>R 6 E/W</u>
Distance and direction from nearest town or city street, address of well if located within city? <u>1703 Cone Hutchinson</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>1703 Cone</u>		Application Number:			
City, State, ZIP Code : <u>Hutchinson Kan 67502</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>30</u> ft. ELEVATION: <u>14</u> ft.			
		Depth(s) Groundwater Encountered <u>14</u> ft. 2. <u>14</u> ft. 3. <u>14</u> ft.			
		WELL'S STATIC WATER LEVEL <u>14</u> ft. below land surface measured on mo/day/yr <u>6-24-92</u>			
		Pump test data: Well water was <u>15</u> ft. after <u>1</u> hours pumping <u>30</u> gpm			
		Est. Yield <u>75</u> gpm: Well water was <u>15</u> ft. after <u>1</u> hours pumping <u>30</u> gpm			
		Bore Hole Diameter <u>9</u> in. to <u>15</u> ft., and <u>6</u> in. to <u>30</u> ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial ⑦ Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u>		If yes, mo/day/yr sample was sub- mitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>			
1 Steel 3 RMP (SR) ② PVC 4 ABS Blank casing diameter <u>6</u> in. to <u>20</u> ft., Dia. <u>6</u> in. to <u>20</u> ft., Dia. <u>6</u> in. to <u>20</u> ft.		5 Wrought iron 8 Concrete tile Welded <u>X</u> 6 Asbestos-Cement 9 Other (specify below) Threaded <u>X</u>			
Casing height above land surface <u>12</u> in., weight <u>12</u> lbs./ft. Wall thickness or gauge No. <u>250</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		⑦ PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped ⑧ Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From <u>20</u> ft. to <u>30</u> ft., From <u>20</u> ft. to <u>30</u> ft., From <u>20</u> ft. to <u>30</u> ft., From <u>20</u> ft. to <u>30</u> ft.			
GRAVEL PACK INTERVALS:		From <u>20</u> ft. to <u>30</u> ft., From <u>20</u> ft. to <u>30</u> ft., From <u>20</u> ft. to <u>30</u> ft., From <u>20</u> ft. to <u>30</u> ft.			
6 GROUT MATERIAL:		3 Bentonite 4 Other			
Grout Intervals: From <u>3</u> ft. to <u>15</u> ft., From <u>3</u> ft. to <u>15</u> ft., From <u>3</u> ft. to <u>15</u> ft., From <u>3</u> ft. to <u>15</u> ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) ③ Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage			
Direction from well? <u>North</u>		How many feet? <u>25</u>			
FROM	TO	LITHOLOGIC LOG		FROM	TO
0	2	Sandy soil			
2	9	Sandy clay			
9	13	fine sand			
13	17	fine gravel			
17	30	medium gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-24-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>193</u> This Water Well Record was completed on (mo/day/yr) <u>6-29-92</u> under the business name of <u>Price Water Well Serv.</u> by (signature) <u>John Danavaput</u>					