			WA	TER WELL RECORD F	orm WWC-5	KSA 82			
LOCATIO	N OF WAT		Fraction			tion Number			Range Number
County:		110		1/4 NW 1/4 NU			J 7 23	<u>s</u>	R 6 E(W)
Distance an			<i>_</i>	address of well if located	4 7 -	. / .			
	250	) 3	IPII	ng Pl	Hu	TChi	nson		
2 WATER	WELL OWN	NER: ()	iffor	d' DICK	,				
RR#, St. A	ddress, Box	#: 55	1 5 L	1: alina Pl	1		Board of Agricu	lture, Divis	ion of Water Resource
City, State,	ZIP Code		4247	nson Ka	- 6	5750	2 Application Nun	nber:	
		CATION WITH	AL DEPTH OF	COMPLETED WELL	7 ~	# ELEV	ATION:		
AN "X" I	N SECTION	BOX:		indwater Encountered 1.					
	N								
Ť l	- 1		1	TIC WATER LEVEL				,	
	- NW1	- NE	l	ımp test data: Well water					-
	i l		Est. Yield	gpm: Well water	was	ft. a	after ho	urs pumpi	ng gpm
• ., L	i		Bore Hole Dia	meterin. to		ft.,	and	in. to	
* w	1	1 '	WELL WATER	R TO BE USED AS: 5	Public water	r supply	8 Air conditioning	11 Inje	ction well
7	1	1	1 Domes	tic 3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	12 Oth	er (Specify below)
-	- sw	SE	2 Irrigatio	n 4 Industrial 7	Lawn and g	arden only	10 Monitoring well	.,	
	- 1		1	al/bacteriological sample su	•	-			
ţ L	<del>'</del>		mitted	- January Grand Gr			ater Well Disinfected?		No
E TYPE O	E DI ANK C	ASING USED:	Imited	E Wrought iron	8 Concre		CASING JOINTS		
_		67	<b>D</b> \	5 Wrought iron					Clamped
1 Ste		(3) RMP (S	H)	6 Asbestos-Cement		(specify belo	,		
2 PV	_	4 ABS		7 Fiberglass					1
		•	710	ft., Dia					
Casing heigh	ght above la	nd surface 🕻	<del>"</del> رواد (	in., weight		Ibs	/ft. Wall thickness or ga	uge No	
TYPE OF S	SCREEN OF	R PERFORATIO	N MATERIAL:		7 PV	С	10 Asbesto	s-cement	/1k
1 Steel 3 Stainless steel				5 Fiberglass	8 RM	IP (SR)	11 Other (specify)		
2 Brass 4 Galvanized steel				6 Concrete tile	9 AB	S	12 None us	ed (open	hole)
SCREEN C	R PERFOR	ATION OPENIN	IGS ARE:	5 Gauzeo	wrapped		8 Saw cut	11	None (open hole)
	ntinuous slot		Aill slot	6 Wire w	• •				,
	vered shutte		(ey punched	7 Torch			10 Other (enecify)	11	<b>/-</b>
		D INTERVALS:				4 5	om	4 4-	4
		CK INTERVALS	From	ft. to		ft., Fro	om	ft. to	ft
6 GROUT	MATERIAL			2 cement grout			Other		
Grout Inter	vals: Fron	n	. ft. to	ft., From	ft.	to	ft., From		ft. to
What is the	e nearest so	urce of possible	contamination	:		10 Live	stock pens	14 Aban	doned water well
1 Septic tank 4 Lateral lines				7 Pit privy	privy 11 Fuel storage 15 Oil well/Gas well				ell/Gas well
2 Sewer lines 5 Cess pool			8 Sewage lagor	8 Sewage lagoon 12 Fert			tilizer storage 16 Other (specify below)		
(3) Watertight sewer lines 6 Seepage pit			9 Feedyard	ard 13 Insecticide storage					
Direction fr		Wes		•	How many feet? 25				
FROM	то	VV /	LITHOLOG	IC LOG	FROM	то	PLUG	SING INTE	RVALS
					0	3	(emon	1	grout
		NA N			3	7	clorina	red	gravel
					7	12	cemen	1 9	grout
				T1,53	12	25	cloring	ate.	d aravel
									7
									7 1
			7.00						
7 CONTR	RACTOR'S C	OR LANDOWNE	R'S CERTIFIC	ATION: This water well wa	s (1) constru	and this rec	constructed, or (3) oluge cord is true to the best of	ged under	my jurisdiction and wa
Water Wel	Contractor	s License No.	19	3. This Water We Water We	ell Record wa	as completed	d on (mo/day/yr)6.	:	2-94
under the	business nai	me of	n/(-e	Water W-	- //	by (sign	ature)		halfran