


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Reno		SW 1/4 SW 1/4 NE 1/4	3	T 23 S	R 6 NW
Distance and direction from nearest town or city street address of well if located within city? 1 Mile West of Hutchinson					
2 WATER WELL OWNER: City of Hutchinson					
RR#, St. Address, Box # : c/o How Munger P.O. Box 1567			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Hutchinson, KS 67504-1567			Application Number: #39,025		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 79 ft. ELEVATION:			
<div style="text-align: center;"></div>		Depth(s) Groundwater Encountered 1.12 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 1.2 ft. below land surface measured on mo/day/yr 8-27-92			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 1600 gpm: Well water was 5.6 ft. after 8 hours pumping 1500 gpm			
		Bore Hole Diameter 42 in. to 7.9 ft. and in. to ft.			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X					
7 Fiberglass Threaded					
Blank casing diameter 1.8 in. to 5.4 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 6 ft. in. weight 7.0 lbs./ft. Wall thickness or gauge No. 37.5					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 1/4" x 1/4" .050 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 5.4 ft. to 7.9 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 2.4 ft. to 7.9 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 2.4 ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? South		How many feet? 600ft			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Top Soil			
3	6	Sandy Brown Clay			
6	22	Course Sand & Gravel			
22	53	Medium to Course Sand & Gravel			
53	78	Fine to Medium Sand			
78	79	Red Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-25-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 2-5-93 under the business name of Peterson Irrigation Inc. by (signature) <i>Mike Peterson</i>					