

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <b>RENO</b>		<b>SE 1/4 SE 1/4 SW 1/4</b>	<b>4</b>	<b>T 23 S</b>	<b>R 6</b>
Distance and direction from nearest town or city street address of well if located within city? <b>3504 W. 17th</b>					
2 WATER WELL OWNER: <b>Joe Casanova</b>			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: <b>3504 W. 17th</b>			Application Number:		
City, State, ZIP Code: <b>Hutchinson KS 67502</b>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <b>40</b> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <b>18</b> ft. 2. <b>18</b> ft. 3. <b>18</b> ft.			
		WELL'S STATIC WATER LEVEL <b>18</b> ft. below land surface measured on mo/day/yr <b>2-20-89</b>			
		Pump test data: Well water was <b>19</b> ft. after <b>3</b> hours pumping <b>4</b> gpm			
		Est. Yield <b>9</b> gpm Well water was <b>40</b> ft. after <b>3</b> hours pumping <b>4</b> gpm			
		Bore Hole Diameter <b>9</b> in. to <b>40</b> ft., and <b>40</b> in. to <b>40</b> ft.			
		WELL WATER TO BE USED AS:			
		1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <b>No</b> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? <b>Yes</b> No			
5 TYPE OF BLANK CASING USED:					
1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: <b>Glued</b> Clamped 2 <b>PVC</b> 4 <b>ABS</b> 6 Asbestos-Cement    9 Other (specify below)    Welded 7 Fiberglass    Threaded					
Blank casing diameter <b>5</b> in. to <b>30</b> ft., Dia. <b>160</b> lbs./ft. Wall thickness or gauge No. <b>160</b>					
Casing height above land surface <b>14</b> in., weight <b>160</b>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    11 Other (specify) 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot    3 Mill slot    5 Gauzed wrapped    8 Saw cut    11 None (open hole) 2 Louvered shutter    4 Key punched    6 Wire wrapped    9 Drilled holes 7 Torch cut    10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <b>30</b> ft. to <b>40</b> ft., From <b>30</b> ft. to <b>40</b> ft.					
GRAVEL PACK INTERVALS: From <b>30</b> ft. to <b>40</b> ft., From <b>30</b> ft. to <b>40</b> ft.					
6 GROUT MATERIAL:					
1 Neat cement    2 Cement grout    3 <b>Bentonite</b> 4 Other Grout Intervals: From <b>0</b> ft. to <b>18</b> ft., From <b>18</b> ft. to <b>40</b> ft.					
What is the nearest source of possible contamination:					
1 <b>Septic tank</b> 4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below) 13 Insecticide storage					
Direction from well? <b>100</b>					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0-10		10-18		top soil	
10-18		18-40		clay & sand	
18-40				coarse sand	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>2-20-89</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>440</b> This Water Well Record was completed on (mo/day/yr) <b>2-28-90</b> under the business name of <b>Carl Vint</b> by (signature) <b>Pat</b>					