

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Reno	Fraction NE 1/4 NW 1/4 SW 1/4	Section number 9	Township number T 23	Range number S R 6 E
2. Distance and direction from nearest town or city: Street address of well location if in city: 1 mi W of 3709 W 11th Hutch, KS			3. Owner of well: North American Invest. Co R.R. or street: 201 N white side City, state, zip code: Hutchinson, KS 67501			
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile		Sketch map: House x-55-Septic		6. Bore hole dia. 10 in. Completion date Well depth 29 ft. 8-28-79		
5. Type and color of material		From		To		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary
Black Sandy Silt		0		6		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Sand & Gravel		6		35		9. Casing: Material PVC Height: 6 or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 175 lbs./ft. Dia. 6 in. to 29 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 100
						10. Screen: Manufacturer's name J & L Type RMP Dia. 6" Clay gauze .035 Length 10' Set between 19 ft. and 29 ft. ft. and <input type="checkbox"/> ft. Gravel pack? Yes Size range of material F-1/2
						11. Static water level: <input type="checkbox"/> mo./day/yr. 8 ft. below land surface Date 8-23-79
						12. Pumping level below land surfaces: 9 ft. after 1 hrs. pumping 20 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 40 g.p.m.
						13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>
						14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade
						15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.
						16. Nearest source of possible contamination: ft. 55 Direction E Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Valley Model number 51206 HP 1/3 Volts 270 Length of drop pipe 15 ft. capacity 12 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well 382 Business name Hutchinson, KS License No. Address Hutchinson, KS Signed E. M. 82 Date 8-4-80 Authorized representative		