

LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County: RENO		NE ¼ NW ¼ SW ¼	9	T 23 S	R 6 E
Distance and direction from nearest town or city? 1 mi W of Hutchinson			Street address of well if located within city?		
2 WATER WELL OWNER: N.A.I.C.					
RR#, St. Address, Box #: 201 N Whiteside			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: Hutchinson, KS 67501			Application Number:		
3 DEPTH OF COMPLETED WELL: 30 ft. Bore Hole Diameter: 10 in. to 33 ft. and in. to ft.					
Well Water to be used as:					
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation		4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Lawn and garden only	10 Observation well		
Well's static water level: 6 ft. below land surface measured on 4 month 1 day 81 year					
Pump Test Data: Well water was 7 ft. after 1 hours pumping 20 gpm					
Est. Yield: gpm: Well water was ft. after hours pumping gpm					
4 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued <input checked="" type="checkbox"/> Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded
Blank casing dia: 6 in. to 30 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface: 14 in., weight 3.35 lbs./ft. Wall thickness or gauge No. 160#					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
Screen or Perforation Openings Are:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
Screen-Perforation Dia: 6 in. to 30 ft. Dia in. to ft. Dia in. to ft.					
Screen-Perforated Intervals: From 20 ft. to 30 ft. From ft. to ft. From ft. to ft.					
Gravel Pack Intervals: From 15 ft. to 33 ft. From ft. to ft. From ft. to ft.					
5 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grouted Intervals: From 3 ft. to 14 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
Direction from well: E How many feet: 55 ? Water Well Disinfected? Yes <input checked="" type="checkbox"/> No					
Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, date sample was submitted month day year Pump Installed? Yes <input checked="" type="checkbox"/> No					
If Yes: Pump Manufacturer's name: Aermotor Model No. 5012 HP 1/2 Volts 230					
Depth of Pump Intake: 18 ft. Pumps Capacity rated at 12 gal./min.					
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 4 month 20 day 81 year					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 382					
This Water Well Record was completed on 6 month 24 day 81 year under the business name of Miller Water Well Serv. by (signature) Ega Miller					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG	
		0 6 Sandy top soil			
		6 16 gr clay			
		16 33 S + G			
ELEVATION:					
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)					

OFFICE USE ONLY

T

3

R

6

EW

SEC

9

NE ¼ NW ¼ SW ¼