

1 LOCATION OF WATER WELL: <u>613 Bloomville</u> <u>SW 1/4 NW 1/4 SE 1/4</u> <u>9</u> <u>23</u> <u>6</u> <u>EW</u>		Fraction		Section Number		Township Number		Range Number			
Distance and direction from nearest town or city street address of well if located within city? <u>613 Bloomville</u> <u>Kutch</u>											
2 WATER WELL OWNER: <u>Bork Faye</u> RR#, St. Address, Box #: <u>3202 W. 4th</u> City, State, ZIP Code: <u>Hutchinson Kc. 67501</u>						Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: <u>32</u> ft. ELEVATION: <u>9-20-89</u> ft.								
			Depth(s) Groundwater Encountered 1. <u>26</u> ft. 2. <u>20</u> ft. 3. <u>20</u> ft. WELL'S STATIC WATER LEVEL <u>26</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>20</u> ft. after <u>2</u> hours pumping <u>20</u> gpm Est. Yield <u>20</u> gpm: Well water was <u>20</u> ft. after <u>2</u> hours pumping <u>20</u> gpm Bore Hole Diameter <u>9</u> in. to <u>32</u> ft. and <u>32</u> in. to <u>32</u> ft. WELL WATER TO BE USED AS: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Lawn and garden only <input type="checkbox"/> Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>No</u>								
			5 TYPE OF BLANK CASING USED:								
			1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: <u>Glued</u> Clamped <input checked="" type="checkbox"/> PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded Blank casing diameter <u>5</u> in. to <u>22</u> ft. Dia. <u>160</u> lbs./ft. Wall thickness or gauge No. <u>160</u> Casing height above land surface <u>14</u> in., weight <u>160</u> lbs./ft.								
			TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    10 Asbestos-cement 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot    3 Mill slot    5 Gauzed wrapped <input checked="" type="checkbox"/> Saw cut    11 None (open hole) 2 Louvered shutter    4 Key punched    6 Wire wrapped    9 Drilled holes 7 Torch cut    10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From <u>22</u> ft. to <u>32</u> ft. From <u>22</u> ft. to <u>32</u> ft. GRAVEL PACK INTERVALS: From <u>22</u> ft. to <u>32</u> ft. From <u>22</u> ft. to <u>32</u> ft.											
6 GROUT MATERIAL: 1 Neat cement    2 Cement grout <input checked="" type="checkbox"/> Bentonite    4 Other											
Grout Intervals: From <u>0</u> ft. to <u>18</u> ft. From <u>0</u> ft. to <u>18</u> ft. From <u>0</u> ft. to <u>18</u> ft. From <u>0</u> ft. to <u>18</u> ft. What is the nearest source of possible contamination: <input checked="" type="checkbox"/> Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below) Direction from well? <u>100</u> How many feet?											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
0-8		17		top soil							
8-17		32		clay							
17-32				coarse sand							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-20-89</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>440</u> This Water Well Record was completed on (mo/day/yr) <u>2-27-90</u> under the business name of <u>Carl Vance Service</u> by (signature) <u>Carl Vance</u>											