- t			ER WELL RECORD	FORM WWWC-5	KSA 82a	1			
LOCATION OF W	ATER WELL:	Fraction		Sec	tion Number	Township Nu	mber	Range	Number
County: Reno		SW 1/4		SW 1/4	11	т 23	S	R 6	£W
		-	address of well if loca	-					-
			Green Garden	Drive & 4	th Ave.,	Hutchinson,	<u>KS 52</u>	2895021	<u>MW-3</u>
	WNER: Ruffi	-	•						
			e, P.O. Box 1	.7087		Board of Ag	riculture, D	Division of Wa	ter Resource
City, State, ZIP Code						Application			
LOCATE WELL'S AN "X" IN SECTION		DEPTH OF (COMPLETED WELL.	20	ft. ELEVA	TION Approx.	Surface	e Elev.:	1535
	<u>N</u>		dwater Encountered						
5 I !		WELL'S STATIC	WATER LEVEL	89 ft. b	elow land sui	face measured on	mo/day/yr	05/07/89	9
NW	NE	Pum	p test data: Well wa	iter was	ft. a	lfter	hours pur	nping	gpm
		Est.YieldN/	A gpm: Well wa	ter was	ft. a	lfter	hours pur	mping	gpm
		Bore Hole Diam	eter 9 in. to	o 20	ft.,	and	in .	to	.
Σ" !		WELL WATER	TO BE USED AS:	5 Public wate	r supply	8 Air conditioning	11	njection well	
	SE	1 Domestic	3 Feedlot	6 Oil field wat	ter supply	9 Dewatering	12 (Other (Specify	y below)
		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well			
IX.		Was a chemical	bacteriological sample	e submitted to De	epartment? Y	es	ζ; If yes,	mo/day/yr sa	mple was sub
····	\$ r	mitted			Wa	ter Well Disinfected	? Yes	No	X
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOIN	ITS: Glued	Clar	nped
1 Steel	3 RMP (SR)	6 Asbestos-Cemen	t 9 Other	(specify below				
Pvc	4 ABS		7 Fiberglass						X
			ft., Dia						
asing height above	land surface	. 35.0	.in., weight			ft. Wall thickness o	r gauge No	Schedu.	le 40 · · · ·
TYPE OF SCREEN	OR PERFORATION	MATERIAL:			С	10 Asbe	stos-ceme	nt	
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Othe	r (specify)		
2 Brass	4 Galvanize	d steel	6 Concrete tile	9 AB	S	12 None	e used (ope	en hole)	
CREEN OR PERFO			5 Gau	zed wrapped		8 Saw cut		11 None (op	oen hole)
1 Continuous s			6 Wire	e wrapped		9 Drilled holes			
2 Louvered shu	itter 4 Key	y punched	7 Toro	ch cut		10 Other (specify)			
SCREEN-PERFORA	TED INTERVALS:		70 ft. to						
SCREEN-PERFORA	TED INTERVALS:	From	ft. to		ft., Fro	m	ft. to)	
	ACK INTERVALS:	From	55		ft., Fro ft., Fro	m	ft. to)	
GRAVEL P	ACK INTERVALS:	From From From	55	20.0	ft., Fro ft., Fro ft., Fro	m	ft. tc ft. tc ft. tc))	
GRAVEL P	ACK INTERVALS:	From From From ement	ft. to 55 ft. to ft. to 2 Cement grout	20.0	ft., Fro ft., Fro ft., Fro nite 4	m	ft. tc ft. tc)))	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro	ACK INTERVALS:	From From From ement t. to4.	55	20.0	ft., Fro ft., Fro <u>ft., Fro</u> nite 4 to5 . 5	m	ft. tc ft. tc)))	
GRAVEL P	ACK INTERVALS:	From	55 ft. to ft. to ft. to 2 Cement grout ft., From2	20.0 3Bento 1.0 ft.	ft., Fro ft., Fro <u>ft., Fro</u> nite 4 to 5.5 10 Lives	m	ft. to ft. to ft. to 14 Ab	0	
GRAVEL P	ACK INTERVALS:	From	ft. to 55 ft. to ft. to 2 Cement grout ft., From2 7 Pit privy	20.0 3Bento 1.0 ft.	ft., Fro ft., Fro ft., Fro nite 4 to5,5 10 Lives 11 Fuel	m	ft. to ft. to ft. to 14 Ab	0	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: AL: 1 Neat ce om0f source of possible c 4 Lateral 5 Cess p	From From From	ft. to 55 ft. to <u>ft. to</u> 2 Cement grout ft., From2 7 Pit privy 8 Sewage la	20.0 3Bento 1.0 ft.	ft., Fro ft., Fro ft., Fro nite 4 to5.5 10 Lives 11 Fuel 12 Fertil	mm <u>m</u> Other tother storage tizer storage	ft. tc ft. tc ft. tc 14 Ab 15 Oi	0	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	ACK INTERVALS: ML: 1 Neat ce om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa	From From From	ft. to 55 ft. to ft. to 2 Cement grout ft., From2 7 Pit privy	20.0 3Bento 1.0 ft.	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec	mm M Other tock pens storage izer storage sticide storage	ft. tc ft. tc ft. tc 14 Ab 15 Oi	0	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well?	ACK INTERVALS: ML: 1 Neat ce om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa	From From ement t. to4.C contamination: I lines pool ge pit	ft. to 55 ft. to ft. to Cement grout Cement grout ft., From2 7 Pit privy 8 Sewage la 9 Feedyard	20.0 3Bento 1.0 ft. goon	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	ACK INTERVALS: ML: 1 Neat ce om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest	From. From ement t. to4.(contamination: I lines pool ge pit	ft. to 55 ft. to ft. to Cement grout Cement grout ft., From2 7 Pit privy 8 Sewage la 9 Feedyard	20.0 3Bento 1.0 ft.	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	0	
GRAVEL PA GROUT MATERIA arout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA irout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se <u>birection from well?</u> FROM TO	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to Cement grout Cement grout ft., From2 7 Pit privy 8 Sewage la 9 Feedyard	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA arout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA arout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA arout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	ft ft ft ft ter well
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo andoned wa I well/Gas we ther (specify I	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0	ACK INTERVALS: ML: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	20.0 3Bento 1.0 ft. goon FROM	ft., Fro ft., Fro ft., Fro nite 4 to5.5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma	mm Mother Other tock pens storage izer storage storage ny feet? 65	ft. to ft. to ft. to 14 At 15 Oi 16 Oi	oo oo oo oandoned wa I well/Gas we cher (specify I	
GRAVEL PA GROUT MATERIA arout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0 5.0 20.0	ACK INTERVALS: AL: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silty Brown Fine	From From ement (t. to4.(contamination: I lines pool ge pit LITHOLOGIC y Sand to Coarse	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG 2 Sand with Gr	20.0 3Bento 1.0 ft. goon FROM cavel	ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro 10 Lives 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO	mm Other tock pens storage izer storage iticide storage ny feet? 65 PLL	ft. to ft. to ft. to 14 At 15 Oi 16 Oi)) 	
GRAVEL PA GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0 20.0 5.0 20.0	ACK INTERVALS: AL: 1 Neat co om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silty Brown Fine	From From ement (t. to4.(contamination: I lines pool ge pit LITHOLOGIC y Sand to Coarse	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG 2 Sand with Gr	20.0 3Bento 1.0 ft. goon FROM cavel	ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro 10 Lives 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO	mm Other tock pens storage izer storage iticide storage ny feet? 65 PLL	ft. to ft. to ft. to 14 At 15 Oi 16 Oi)) 	
GRAVEL PA GROUT MATERIA arout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0 5.0 20.0	ACK INTERVALS: NL: 1 Neat ce om0f source of possible c 4 Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silty Brown Fine OR LANDOWNER y/year)	From. From. From ement (t. to4. (contamination: I lines pool ge pit LITHOLOGIC y Sand to Coarse SCERTIFICAT 05/05/89	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG E Sand with Gr	20.0 3Bento 1.0 ft. goon FROM cavel	ft., Fro ft., Fro nite 4 to5,5. 10 Lives (1) Fuel 12 Fertil 13 Insec How ma TO	mm Other tock pens storage izer storage sticide storage ny feet? 65 PLU	ft. to ft. to ft. to ft. to 14 At 15 Oi 16 Oi JGGING IN 	oo ft. to pandoned wa l well/Gas we ther (specify l NTERVALS ITERVALS er my jurisdic	
GRAVEL PA GROUT MATERIA Front Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0 5.0 20.0 5.0 20.0 5.0 20.0	ACK INTERVALS: AL: 1 Neat or for a source of possible of a Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt Brown Fine OR LANDOWNER y/year)	From. From ement (t. to	ft. to 55 ft. to ft. to 2 Cement grout 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG 2 Sand with Gr	20.0 3Bento 1.0 ft. goon FROM avel was (1) construction	ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro 10 Lives 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO 	mm Other tock pens storage izer storage ny feet? 65 PLU PLU ponstructed, or (3) pl ord is true to the bes	ft. to ft. to ft. to ft. to 14 At 15 Oi 16 Oi JGGING IN 	oo ft. to pandoned wa l well/Gas we ther (specify l NTERVALS ITERVALS er my jurisdic	
GRAVEL PA GROUT MATERIA irout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 5.0 5.0 20.0 5.0 20.0 5.0 20.0 CONTRACTOR'S completed on (mo/da	ACK INTERVALS: AL: 1 Neat or for a source of possible of a Lateral 5 Cess p wer lines 6 Seepa Northwest Brown Silt Brown Fine OR LANDOWNER y/year)	From. From From ement (t. to4.(contamination: I lines pool ge pit LITHOLOGIC y Sand to Coarse SCERTIFICAT 05/05/89 416	ft. to 55 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG E Sand with Gr	20.0 3Bento 1.0 ft. goon FROM cave1 	ft., Fro ft., Fro ft., Fro ft., Fro ft., Fro 10 Lives 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO 	mmm	ft. to ft. to ft. to ft. to 14 At 15 Oi 16 Oi JGGING IN 	oo ft. to pandoned wa l well/Gas we ther (specify l NTERVALS ITERVALS er my jurisdic	