

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Reno		NE 1/4 SE 1/4 SW 1/4		12		T 23 S		R 6 E/W	
Distance and direction from nearest town or city street address of well if located within city? 615 N. Main Hutchinson, KS									
2 WATER WELL OWNER: Reger Rental					Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box # : 615 N. Main					Application Number:				
City, State, ZIP Code : Hutchinson, KS.									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 22 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 15 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 15.31 ft. below land surface measured on mo/day/yr 05-28-92							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 8 in. to 22 ft., and in. to ft.							
		WELL WATER TO BE USED AS:							
		5 Public water supply		8 Air conditioning		11 Injection well			
		1 Domestic		3 Feedlot		6 Oil field water supply		9 Dewatering	
		2 Irrigation		4 Industrial		7 Lawn and garden only		10 Monitoring well	
		Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes No XX							
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded	
				7 Fiberglass				Threaded XX	
Blank casing diameter 2 in. to 12 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		11 Other (specify)	
								12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS:									
From 22 ft. to 12 ft.		From ft. to ft.		From ft. to ft.		From ft. to ft.		From ft. to ft.	
GRAVEL PACK INTERVALS:									
From 22 ft. to 6 ft.		From ft. to ft.		From ft. to ft.		From ft. to ft.		From ft. to ft.	
6 GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other			
Grout Intervals: From 6 ft. to 3 (bent) ft.		From 3 ft. to 0 (cement) ft.		From ft. to ft.		From ft. to ft.		From ft. to ft.	
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
						13 Insecticide storage			
Direction from well? N						How many feet? 120			
FROM		TO		LITHOLOGIC LOG		FROM		TO	
0		2		Silt Sandy					
2		5		Sand-Medium, Reddish Brown					
5		15		Sand-Medium-Coarse, Coarse Gravel					
				Brown					
15		22		Sand & Gravel, Fine to Coarse				MW - 2	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 05-27-92 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 527		This Water Well Record was completed on (mo/day/yr) 06-01-92							
under the business name of GeoCore Services, Inc.		by (signature) <i>Dan A. Bell</i>							