


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>	<u>SE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>12</u>	T <u>23</u> S	R <u>6</u> <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?

5th Washington S-E Corner of 1st section

2 WATER WELL OWNER: <u>Saylor, Clemon</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>600 N. Adams</u>	Application Number:
City, State, ZIP Code: <u>Hatchman KS. 67501</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>76</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. <u>19</u> ft. 3. <u>19</u> ft.
	WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>7-14-89</u>
	Pump test data: Well water was <u>20</u> ft. after <u>41</u> hours pumping <u>20+</u> gpm
	Est. Yield <u>20+</u> gpm: Well water was <u>20</u> ft. after <u>41</u> hours pumping <u>20+</u> gpm
	Bore Hole Diameter <u>20+</u> in. to <u>20+</u> ft., and <u>20+</u> in. to <u>20+</u> ft.
	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted
	Water Well Disinfected? <u>Yes</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>Clamped</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2</u> PVC	4 ABS	7 Fiberglass	Welded <u>Threaded</u>
Blank casing diameter <u>4</u> in. to <u>70</u> ft., Dia <u>14</u> in. to <u>160</u> ft., Dia <u>14</u> in. to <u>160</u> ft., Dia <u>14</u> in. to <u>160</u> ft., Dia			
Casing height above land surface <u>14</u> in., weight <u>160</u> lbs./ft. Wall thickness or gauge No. <u>160</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	<u>8</u> Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From <u>70</u> ft. to <u>76</u> ft., From <u>70</u> ft. to <u>76</u> ft., From <u>70</u> ft. to <u>76</u> ft., From <u>70</u> ft. to <u>76</u> ft.			
GRAVEL PACK INTERVALS: From <u>65</u> ft. to <u>76</u> ft., From <u>65</u> ft. to <u>76</u> ft., From <u>65</u> ft. to <u>76</u> ft., From <u>65</u> ft. to <u>76</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3</u> Bentonite	4 Other
Grout Intervals: From <u>60</u> ft. to <u>65</u> ft., From <u>60</u> ft. to <u>20</u> ft., From <u>60</u> ft. to <u>20</u> ft., From <u>60</u> ft. to <u>20</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
<u>3</u> Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?			How many feet? <u>80</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>8</u>	<u>Top soil</u>			
<u>8</u>	<u>40</u>	<u>Sand & Gravel</u>			
<u>40</u>	<u>44</u>	<u>Gravel & Clay</u>			
<u>44</u>	<u>76</u>	<u>Sand & Gravel</u>			
<u>76</u>		<u>shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-14-89</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>440</u> This Water Well Record was completed on (mo/day/yr) <u>2-29-80</u> under the business name of <u>Carl Vincent Service</u> by (signature) <u>Carl Vincent</u>
