

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Reno	Fraction SE 1/4 SW 1/4 SE 1/4	Section number 22	Township number T 23	Range number S 6 R 6 E W
2. Distance and direction from nearest town or city: Street address of well location if in city: 11 Glass Manor St. Hutchinson, KS				3. Owner of well: Phil Thiessen R.R. or street: 11 Glass Manor City, state, zip code: Hutchinson, KS 67501		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 16 in. Completion date 9-14-77 Well depth 40 ft. 60-15-78		
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
5. Type and color of material		From		To		9. Casing: Material RMP Height Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.95 lbs./ft. Dia. 6 in. to 40 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 200
						10. Screen: Manufacturer's name J+L Type RMP Dia. 6" Slot/gauze .080 Length 10' Set between 30 ft. and 40 ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material F-12
Brown clay		0		19		11. Static water level: 19 ft. below land surface Date 9-14-77
Fine Sand		19		23		12. Pumping level below land surfaces: 19 ft. after 2 hrs. pumping 25 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 40 g.p.m.
Fine + coarse Sand		23		44		13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date
						14. Well head completion: <input type="checkbox"/> Pitless adapter 12 Inches above grade
						15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.
						16. Nearest source of possible contamination: ft. 25 Direction SW Type see note Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley		Tight sewer pipe		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well 137 Business name License No. Address Hutchinson, KS Signed Joe Miller 6-15-78 Date Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5