			WAIER	WELL RECORD	Form ww	C-5 KSA 828-1212						
1 LOCATION OF WATER WELL:			Fraction			Section Number	Town	iship Nun	nber	Range	Numi	ber
County: Reno		SE 1/4	SE 1/4	SE 1/4	23	Т	23	S	R	6	E@	
Distance a	and direction	from nearest town of	or city street ac	Idress of well if locate	d within cit	ty?	-					
80 Fe	et West an	d 25 Feet North	of Interse	ction of Blanchar	d and Ma	ain Street	01	918014		MW-1		
2 WATE	R WELL OW	NFR Dosko	cil Foods									
	Address, Box	D 4					Pos	and of Acr	rioulturo F	Division of W	lator B	Secourosa
		<i>#</i> .	Hutchinson	KS 67504				•		DIVISION OF W	rater F	resources
	, ZIP Code							olication I				
3 LOCAT	E WELL'S LO IN SECTION			OMPLETED WELL								
_ AIV A	N SECTION	De		vater Encountered 1								
I I	1	ı W	ELL'S STATIC	WATER LEVEL	3.•.5	ft. below land sur	face measu	ured on r	no/day/yr	12/02/	91	
I I	1 1	<u> </u>		test data: Well water								
	NW	NE Ec		gpm: Well water					•			
	! !	, , ,										
Mile M			re Hole Diameter									π.
2	-	! W		O BE USED AS:		5 Public water supply 8 Air conditi			•			
li l	sw	SE	1 Domestic	3 Feedlot		water supply	\frown	•		Other (Spec	•	· · ·
	1	i -	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	10) Monitori	ng well .	,			
	_ i	ı X Wa	as a chemical/b	acteriological sample	submitted t	to Department? Ye	esl	NoX	; If yes,	mo/day/yr s	ample	was sub-
ī	S	mit	tted			Wa	ter Well Dis	sinfected	? Yes	No	X	
5 TYPE	OF BLANK C	ASING USED:		5 Wrought iron	8 Cc	oncrete tile	CASI	NG JOIN	TS: Glue	1 Cla	amped	
ا ا		3 RMP (SR)		6 Asbestos-Cement	9 Ot	her (specify below				ed	•	
(2)P		4 ABS		7 Fiberglass			•			aded		
_				•								
ı	-			ft., Dia								
1				in., weight			ft. Wall thic	ckness or	gauge N	0		
TYPE OF	SCREEN OF	R PERFORATION M	MATERIAL:		_	PVC		10 Asbe	stos-ceme	ent		
1 St	teel	3 Stainless st	eel	5 Fiberglass	8	RMP (SR)		11 Other	(specify)			
2 B	rass	4 Galvanized	steel	6 Concrete tile	9	ABS		12 None	used (op	en hole)		
SCREEN	OR PERFOR	RATION OPENINGS	ARE:	5 Gauz	ed wrappe	ed	8 Saw c	ut		11 None (open h	nole)
1 C	ontinuous slo	t 3 Mill s	slot	6 Wire	wrapped	apped 9 Drille				,	•	,
	ouvered shutt	•		7 Torch	• • •							
		ED INTERVALS:		. 5 ft. to .		4 5						
SOMEEN	PENFORATE	D INTERVALS:										
				ft. to .								
	GRAVEL PAG	CK INTERVALS:	From	3 ft. to .								ft.
<u> </u>			From	ft. to		ft., Fro	m	**.	ft. t	0		ft.
6 GROU	T MATERIAL	: 1Neat cem	nent	2 Cement grout	3 B	entonite 4	Other		<i>.</i>			
Grout Inte	ervals: From	n 3 ft.	to 0	ft., From		ft. to	ft., F	rom		ft. to		ft.
What is the	ne nearest so	urce of possible cor	ntamination:			10 Lives	tock pens		14 A	bandoned w	ater w	/ell
1 Septic tank 4 Lateral I		ines 7 Pit privy			11) Fuel storage		15 Oil well/Gas well					
2 Sewer lines 5 Cess po		· -		oon	_		a .	16 Other (specify below)			w)	
3 Watertight sewer lines 6 Seepage				9 Feedyard	0011		ticide stora		10 0	and (Speen)	, 50.01	•,
ì	-	South	e pit	3 reedyard				50 '				
FROM	from well?		LITHOLOGIC	100	FRO	How ma	ny teet?		IGGING I	NTERVALS		
					FROI	W 10 1		,	radiita i	IVILITYALO		
0	1.5	Dark Brown Fa										
1.5	7.5	Brown-Tan Fin	ne Sand									
7.5	15.0	Tan-Brown Med	dium Sand									
	1 i											
						· +						
	ļi											
}												
				ON: This water well v			onstructed,	or (3) pl	ugged und	der my juriso	diction	and was
										owledge and	d belie	f. Kansas
Water We	ell Contractor	s License No4	416	This Water V	Vell Record	d was completed	on (mo/day	//yr)	- 6 · J.	· · · _{//} · · · · ·		
	business na	_		sultants SC, Inc		by (signa		117%	ノ スル	1/11		
								1.11				
INSTR		pewriter or ball point pen	n. PLEASE PRESS F	IRMLY and PRINT clearly. P	lease fill in bla	1 1		answers. Se	nd top three	copies to Kans	as Depa	artment