

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Reno	Fraction NE 1/4 NW 1/4 NW 1/4	Section number 28	Township number T 23 S	Range number R 6 E
2. Distance and direction from nearest town or city: 2 1/2 mi W of		3. Owner of well: C.R. Welty			
Street address of well location if in city: S. Hutchinson, Ks.		City, state, zip code: Hutchinson, Ks. 67501			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 70 in. Completion date 3-27-76	
				Well depth 70 ft.	
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material PLST Height Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.95 lbs./ft. Dia. 6 in. to 70 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 200	
5. Type and color of material		From	To	10. Screen: Manufacturer's name JAL	
Topsail		0	3	Type RMP Dia. 6"	
Clay - yellow & white rock		3	35	Slot gauge 3/32" Length 10'	
Sand & gravel		35	70	Set between 60 ft. and 70 ft. ft. and ft.	
				Gravel pack? yes Size range of material F-1/2"	
				11. Static water level: mo./day/yr. 36 ft. below land surface Date 3-27-76	
				12. Pumping level below land surfaces: 40 ft. after 1 hrs. pumping 20 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 70 g.p.m.	
				13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter inches above grade	
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.	
				16. Nearest source of possible contamination: ft. 125 Direction NW Type septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: Not installed Manufacturer's name Valley Model number 5120K HP 1/2 Volts 230 Length of drop pipe 50 ft. capacity 12 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		(Use a second sheet if needed)			
18. Elevation:	19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley			This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well Serv. 137 Business name License No. Address Hutchinson, Ks. 67501 Signed Geo Miller Date 3-27-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5