		WATER	WELL RECORE	Form W	VC-D NO	82a-1212				
LOCATION OF WA		Fraction			Section Nu	nber 1	Township Nur	nber	Rang	e Number
ounty: Ren		SW 1/4	NW 1/4	NW 1/4		T	23	S	R	6 E/W
	from nearest town of	•								
3 miles We	st of Hutcl	hinson on	Highway	y 50- 1	/8 mi1∈	south	on Mol	nawk R	d.	
WATER WELL OV	VNER: Melvi	n Yoder								
#, St. Address, Bo	TO TO 1						Board of Ag	riculture. D	vision of V	Vater Resoul
y, State, ZIP Code	*T ! 7	inson, Ks	67501				Application I	•		
				. 6	2	=1/4=1011				·
AN "X" IN SECTIO	OCATION WITH 4									
		pth(s) Groundwa								
X ;		ELL'S STATIC W	ATER LEVEL .		ft. below lar	d surface m	easured on r	mo/day/yr	9 –.	109.4
NW	NE	Pump te	est data: Well	water was .	<i></i>	ft. after		hours pun	nping	g
1, 1, 1	Es	t. Yield	. gpm: Well	water was .	<i></i>	ft. after		hours pun	nping	g
ii	I Bo	re Hole Diamete	r85 /.8 .in	. to60.		.ft., and		in.	to	,
W	I WE	ELL WATER TO	BE USED AS:	5 Public	water supply	8 Air	conditioning	11 li	njection we	ell
1		1 Domestic	3 Feedlot	6 Oil fie	d water supp	iy 9 Dev	vatering	12 C	ther (Spec	cify below)
SW	SE	2 Irrigation	4 Industrial	7 Lawn	and garden o	nlv 10 Moi	nitoring well.			
!		as a chemical/bac								
		tted	neriological sair	ipio submitto	to Dopartino		Il Disinfected			
TYPE OF BLANK	*		Manualt inco		oncrete tile		ASING JOIN			
1 Steel	3 RMP (SR)		Wrought iron				ASING JOIN			
	` '		Asbestos-Cem		ther (specify					
2 PVC	4 ABS	. 40	Fiberglass		· · · · · · · · · · · ·					
ank casing diameter	and surface	18	ft., Dia		n. to	π.,	Dia		1. το	258
ioning thought above t	and danado		., weight			lbs./ft. Wal		34430		
PE OF SCREEN C	R PERFORATION M	MATERIAL:			7_PVC			stos-cemer		
1 Steel	3 Stainless ste	eel 5	Fiberglass		RMP (SR)		11 Othe	r (specify) .	· · · · · · ·	
2 Brass	4 Galvanized	steel 6	Concrete tile		9 ABS		12 None	used (ope	n hole)	
REEN OR PERFO	RATION OPENINGS	ARE:	5 (auzed wrapp	ed	_8 Sa	aw_cut		11 None	(open hole)
1 Continuous sle	ot 3 Mill s	lot	6 V	Vire wrapped		9 Dr	illed holes			
2 Louvered shu	tter 4 Key r	ounched	7 1	Forch cut		10 O	ther (specify)			<i></i>
REEN-PERFORAT	, ,	From	40 ft	to	60 ff	From	(, , , , , , , , , , , , , , , , , , ,	ft. to		
		From								
CDAVEL D	ACK INTERVALS:		60 ft.	to	45 4	From				
GRAVEL PA	ICK INTERVALS:	From						ft. to		
ODOLIT MATERIA	1 No. 1	From	ft.	10		., From	Ho:			
GROUT MATERIA			Cement grout	3	sentonite	4 Other		<u> </u>	· স	
	om45ft.		ft., From							
	ource of possible cor					Livestock pe			andoned v	
1 Septic tank	Septic tank 4 Lateral lines		· · · · F ···· /		11 Fuel st		g		il well/Gas well	
2 Sewer lines	2 Sewer lines 5 Cess pool		8 Sewage lagoor		12	Fertilizer sto				
3 Watertight set	wer lines 6 Seepage	e pit	9 Feedya	rd	13	Insecticide s	storage	Non	e	
rection from well?					Ho	w many feet	?			·
ROM TO		LITHOLOGIC LC)G	FRO	м то		PLU	JGGING IN	TERVALS	
0 5	top soil									
5 10	soft clay									
10 15	hard clay	y, soft o	lay str	eaks						
15 17	soft cla	y & cletc	he							
17 25	cletche 8			-						
25 28	soft cla			-						
28 30	sand & g:	<u> </u>	cmal1							
30 35	sand & g		· Small							
	——————————————————————————————————————			-						
35 60	sand & g	raver								
						- 1				
0017010707	00.1445000000000000000000000000000000000	OFFICE				\				diation and
	OR LANDOWNER'S									
	y/year) 9 – 1 .									d belief. Kan
	r's License No 1	<u> </u>	This Wat	ter Well Reco	rd was comp	eted on (mo	o/day/yr)	-9-24	-92	
der the business n								, ,	• .	
	ame of Rosenc	rantz-Ber	nis		by	signature)	Dre	9 Do	akb	