KOLAR Document ID: 1581736

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App. 1			Well ID		
1 LOCATION OF WATER WELL: Fraction					ction Numb	1 0			0		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S											
		ast Name:		First:		reet or Rural Address where well is located (if unknown, distance and					
Business: Address:					direction from	ection from nearest town or intersection): If at owner's address, check here:					
Address:											
City:			State:	ZIP:							
3 LOCAT	'E WELL			IDI ETED WELL.	£	5 T . 414	1				
	4 DEPTH OF COMPLETED WELL: WITH "X" IN SECTION POY. Depth(s) Groundwater Encountered: 1)										
SECTIO			Dry Well	Longitude:				-			
ſ	N	WELL'S ST					Latitude/Longitude:		AD 27		
		□ below l	and surface	y-yr)			init make/model:)		
NW	NE	□ above l	and surface	yr)		(WAAS enabled? \square Yes \square No)					
		Pump test d				Land Survey Topographic Map			,		
W	E	after	hours			Online Mapper:					
SW	SE	- f t	Well v								
		after hours pumping			. gpm	6 Elevation:ft. Ground Level TOC					
	S	Bore Hole Diameter: in. to			ft and	Source: Land Survey GPS Topographic May					
	mile	Doite Hote I	in. to								
7 WELL WATER TO BE USED AS:											
1. Domestic				ater Supply: well ID		10. 🗖 O	il Fiel	ld Water Supply: le	ase		
House		6. Dewatering: how many wells?					11. Test Hole: well ID				
Lawn		7. 🗆	Aquifer R		□C	ased	Uncased C	Beotechnica	1		
				g: well ID			12. Geothermal: how many bores?				
	2. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop 🗌 Horizontal 🗌 Vertical				
3. ☐ Feedlot				-	b) Open Loop ∐ Surface 13. □ Other (specify):				Discharge 🔲 Inj. of Water		
			Recovery	5							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Casing height above land surface											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
		e contaminati		potential source of con							
			Lateral Line			Livestock Pe					
Sewer			Cess Pool	Sewage La		Fuel Storage					
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Other (Specify) Other (Specify) Other (Specify)											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No											
				This W							
	asiness liaill	Send one conv to	D WATER W	/ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 fc	or each constructed we	<u></u> 11.		
KS Departi										2785-296-3565.	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											