KOLAR Document ID: 1595454

WATER WELL RE		rm WWC-5 Change in Well Use			rision of Water ources App. No		Well ID			
1 LOCATION OF WA		Fraction			ction Number	Township Numb				
County:		1/4 1/4	1/4			T S	R DE DW			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and										
						earest town or intersection): If at owner's address, check here:				
Address: Address:										
City:	State:	ZIP:								
3 LOCATE WELL										
WITH "X" IN	X", IN 4 DEPTH OF COMPLETED WELL:									
SECTION BOX:	Depth(s) Groundwater Encountered: 1)				2018 (decimal degrees)					
N	2) ft. 3) ft., or 4) \( \square\) WELL'S STATIC WATER LEVEL:				Datum: WGS 84 NAD 83 NAD 27					
	below land surface, measured on (mo-day-yr					Source for Latitude/Longitude:  GPS (unit make/model:)				
NW   NE						(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map					
W E						☐ Online Mapper:				
SW SE	Well water was ft.									
	after hours pumping				6 Elevati	<b>on:</b> ft	.   Ground Level  TOC			
S	Bore Hole Diameter: in. to				Source: ☐ Land Survey ☐ GPS ☐ Topographic Map					
mile										
7 WELL WATER TO BE USED AS:										
							ease			
Household	<u> </u>				11. Test Hole: well ID					
Lawn & Garden	<b>—</b> 1				☐ Cased ☐ Uncased ☐ Geotechnical					
☐ Livestock  2. ☐ Irrigation	<u> </u>				12. Geothermal: how many bores?					
3. ☐ Feedlot					b) Open Loop  Surface Discharge Inj. of Water					
4. ☐ Industrial	Reco		_							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:										
Water well disinfected?  Yes No										
8 TYPE OF CASING U		PVC Other		CASI	NG JOINTS:	☐ Glued ☐ Clamped	d  Welded  Threaded			
Casing diameter in. to ft., Diameter ft., Diameter ft.										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Nearest source of possible		No potential source				□ Incocti	aida Storaga			
☐ Septic Tank       ☐ Lateral Lines       ☐ Pit Privy       ☐ Livestock Pens       ☐ Insecticide Storage         ☐ Sewer Lines       ☐ Cess Pool       ☐ Sewage Lagoon       ☐ Fuel Storage       ☐ Abandoned Water Well										
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well										
Other (Specify)										
Direction from well?										
10 FROM TO	LITHO	OLOGIC LOG		FROM	TO I	ITHO. LOG (cont.) or	r PLUGGING INTERVALS			
				Notes:	<u> </u>					
11 CONTDACTODE OD I ANDOWNED'S CEDTIFICATION. This water well was Described to the second sec										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year)										
Kansas Water Well Contractor's License No										
under the business name of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
	Environment Direct	III of Water Geology Cas	Visit us at http://www.kdheks.gov/waterwell/index.html  KSA 82a-1212							