

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>		<u>SE 1/4</u> <u>SE 1/4</u> <u>SE 1/4</u>	<u>9</u>	T <u>23</u> S	R <u>6</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2 mi W of Hutchinson</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Application Number:			
City, State, ZIP Code :		<u>Hutch, KS 67504-0278</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>27</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. . . . . ft. 2. . . . . ft. 3. . . . . ft.			
		WELL'S STATIC WATER LEVEL <u>9</u> ft. below land surface measured on mo/day/yr <u>9-26-94</u>			
		Pump test data: Well water was <u>12</u> ft. after <u>1/2</u> hours pumping <u>30</u> gpm			
		Est. Yield . . . . . gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm			
		Bore Hole Diameter <u>9</u> in. to <u>30</u> in. and . . . . . in. to . . . . . ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial <u>7</u> Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes . . . . . No <u>X</u> . . . . . If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped . . . . .			
1 Steel 3 RMP (SR)		Welded . . . . .			
<u>2</u> PVC 4 ABS		Threaded . . . . .			
Blank casing diameter <u>5</u> in. to <u>20</u> ft. Dia . . . . . in. to . . . . . ft. Dia . . . . . in. to . . . . . ft.					
Casing height above land surface <u>12</u> in. weight <u>2.37</u> lbs./ft. Wall thickness or gauge No. <u>160</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7</u> PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . . . . .					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped <u>8</u> Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) . . . . .					
SCREEN-PERFORATED INTERVALS: From <u>20</u> ft. to <u>27</u> ft. From . . . . . ft. to . . . . . ft.					
GRAVEL PACK INTERVALS: From <u>19</u> ft. to <u>30</u> ft. From . . . . . ft. to . . . . . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3</u> Bentonite 4 Other					
Grout Intervals: From <u>0</u> ft. to <u>19</u> ft. From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage <u>16</u> Other (specify below)		<u>Lake</u>			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>N</u>		How many feet? <u>75</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>3</u>	<u>Silly Sand</u>			
<u>3</u>	<u>5</u>	<u>Wood</u>			
<u>5</u>	<u>30</u>	<u>Sand + Gravel</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-26-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>447</u> This Water Well Record was completed on (mo/day/yr) <u>9-28-94</u> under the business name of <u>Miller Drilling</u> by (signature) <u>G Miller</u>					