| | | | WATEF | WELL RECORD | Form WWC- | 5 KSA 82 | a-1212 | | MW#1 | |
|---------------------------|----------------|--------------------------|--------------------|-----------------------------|-----------------|---------------|------------------------|--------------------|----------------------|-----------|
| _ | | ER WELL: | Fraction | | Se | ection Number | | | Range Number | r |
| County: | REN | | SE 1/4 | SW 1/4 SE | | 12 | T 23 | S | <u>R 6 E</u> | E/W |
| | | | - | dress of well if locate | ed within city? | | | | | |
| | | th STREET | | | | | | | | |
| | | NER: TOWN & | | | | | | | | |
| | | ¢#∶Ρ.Ο. ΒΟ | | | | | | - | ivision of Water Res | ources |
| City, State, | ZIP Code | · WICHIT | 1, KS. | 67217 | | | Application | Number: | | |
| | E WELL'S LO | DCATION WITH 4 | DEPTH OF CO | OMPLETED WELL 2 | 30 | ft. ELEV/ | ATION: | . . <i></i> | •••••••••••••••• | |
| | N | L De | | vater Encountered | | | | | | |
| Ŧ | | . W | | WATER LEVEL | | | | | | |
| | - NW | NE | | test data: Well wate | | | | | | |
| | 1 | | | gpm Well wate | | | | | | |
| w w | <u> </u> | E Bo | ore Hole Diamet | ter7 <u>1</u> in. to | | | | | | ft. |
| ٤ ' | | W | ELL WATER TO | O BE USED AS: | | | 8 Air conditioning | | | |
| | - sw | SE | 1 Domestic | 3 Feedlot | | | | | Other (Specify below | |
| | 1 | | 2 Irrigation | 4 Industrial | | - | | | | |
| ł L | <u> </u> | ×I W | as a chemical/b | acteriological sample | submitted to I | | | | mo/day/yr sample w | as sub- |
| - | <u>S</u> | | itted | | | | ater Well Disinfecte | | No | |
| _ | | ASING USED: | | 5 Wrought iron | | | | | Clamped | |
| 1 Ste | | 3 RMP (SR) | | 6 Asbestos-Cement | | | , | | ed | |
| X PV | | 4 ABS | | 7 Fiberglass | | •••••••• | | Threa | ded 🗶 / | |
| | | | | ft., Dia | | | | | | |
| | | | | in., weight ${\tt sche}$ | | | | | | · · · · · |
| | | R PERFORATION N | | | хP | | | estos-ceme | | |
| 1 Ste | | 3 Stainless st | | 5 Fiberglass | | MP (SR) | | | | |
| 2 Bra | | 4 Galvanized | | 6 Concrete tile | 9 A | BS | | ne used (ope | , | |
| | | RATION OPENINGS | | | ed wrapped | | 8 Saw cut | | 11 None (open hol | e) |
| | ntinuous slo | | | | wrapped | | 9 Drilled holes | A | | |
| | uvered shutt | | punched | 7 Torch | | 4 F | | , | | |
| SUREEN-P | ENFURATE | ED INTERVALS: | _ | 0 | . • | | | | | |
| G | | CK INTERVALS: | | 0 | | | | | | |
| 0 | | on intrentineo. | From | | | | | | D | |
| 6 GROUT | MATERIAL | : 1 Neat cen | | Cement grout | | | | | | |
| - | | | | ft., From | | | | | | |
| | | urce of possible co | | , | | | | | andoned water well | |
| | | 4 Lateral I | | 7 Pit privy | | | l storage | | | |
| 2 Sewer lines 5 Cess pool | | | | 8 Sewage lagoo | | | | | ther (specify below) | |
| 🕱 Wa | atertight sew | er lines 6 Seepage | | 9 Feedyard | | | ecticide storage | | | |
| Direction fr | rom well? | south | | | | | any feet? 15 | | | |
| FROM | TO | | LITHOLOGIC L | OG | FROM | TO | PI | UGGING IN | NTERVALS | |
| 0 | 0.8 | asphalt | | | | | | | | |
| 0.8 | 3 | topsoil | | | | | | | | |
| 3' | 5' | brn clay | | | | | | | | |
| 5' | 10' | | | 7' fine | | | | | | |
| | | grained | co medui | m sand | | | | | | |
| | | 7'-10' | | | | | | | | |
| 10' | 15' | | | rained sand | 1 | | | | | |
| | | saturated | | | | | | | | |
| 15' | 20' | meduim to | course | sand | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | L | L | | | |
| | | | | ON: This water well v | | | | | | |
| | | (year) 1 1.– 1.(| | | | | | | | Kansas |
| | | | | This Water V | | vas completed | d on (mo/day/yr) | -75,184 | 1 | |
| under the l | business na | me of KURTZ | ENVIRON | MENTAL SERV | /ICE | by (sign | ature) | Ruf | | |
| | | | | RMLY and PRINT clearly. P | | | | | | ent |
| of Health | h and Environm | ent, Bureau of Water, To | peka, Kansas 66620 | 0-0001. Telephone: 913-296- | 5545. Send one | to WATER WELL | OWNER and retain one f | or your records | | |