WATER WELL RECORD Form WWC-5 KSA 82a-1212 MW													9	
1 LOCATION OF WATER WELL: Fraction						1 01111 44		Number	Township Number			Range Number		
County:	Reno		SW 1/4			W 1/4		1	Т	23	S	R	6	E <b>(</b> (V)
Distance a	and direction		wn or city street a											
	F	armers Coop	p Elevator	Co. ]	L200 W.	4th. I	Hutchi	nson, I	Ks					
2 WATER	R WELL OW	/NER:												
RR#, St. /	Address, Box	x # : C:	ity of Huto	chinso	m Attn:	Hal I	Bunger		Boar	d of A	griculture,	Division	of Water	Resources
City, State	, ZIP Code	City Hal	l 125 Huto	chinso	xn, Kans	as 67!	501		Appl	ication	Number:			
		OCATION WITH	4 DEPTH OF C	OMPLE	TED WELL	15	f	t FIFVAT	TION:					
AN "X"	IN SECTION	N BOX:	Depth(s) Ground				_							
, r	<del></del>	<del>`                                    </del>	WELL'S STATIC											
† I	i				ata: Well w									
-	- NW	NE												
1	!	Est. Yield											gpm	
* w  -		E E	l											π.
_	-	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well												
1 -	- SW	SE	1 Domestic		Feedlot		eld water s		9 Dewaterin				Specify be	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 1. Mw-9													
↓ La			Was a chemical/	bacteriol	ogical sampl	le submitted	d to Depar	tment? Ye	sN	lo <b>X</b>	; If yes	s, mo/day		. 1
		<u> </u>	mitted					Wat	er Well Disi				No X	
5 TYPE C	OF BLANK (	CASING USED:		5 Wro	ought iron	8 (	Concrete t	ile	CASIN	ig joii	NTS: Glue	d .TTT.	. Clampe	d . <del></del>
1 Ste	eel	3 RMP (S	R)	6 Asb	estos-Cemer	nt 9 (	Other (spe	cify below	<i>ı</i> )					
<b>(</b> 2)•∨	'C	4 ABS	ر	7 Fibe	erglass		. <del></del> .				Thre	aded. X		. <i>.</i>
Blank casi	ng diameter	2	.in. to	f	t., Dia	<del></del>	.in. to :	<del></del>	ft., Dia	<del>.</del>	<del></del>	in. to $ . $		ft.
Casing hei	ight above la	and surface	🕖	.in., we	ight \$	CH 40. I	P.V.C	lbs./f	t. Wall thick	ness o	r gauge N	۱o <del></del>	<del></del>	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:			(	7 <b>)</b> •vc		1	0 Asbe	estos-cem	ent		
1 Ste	eel	3 Stainless	s steel	5 Fibe	erglass		8 RMP (8	SR)	1	1 Othe	er (specify	) <del></del>	<del></del>	<i>.</i>
2 Brass 4 Galvanized steel 6 Concrete tile							9 ABS	ABS 12			None used (open hole)			
SCREEN (	OR PERFOR	RATION OPENIN	IGS ARE:		5 Ga	uzed wrap	ped	8 Saw cut 11 None (open h					hole)	
1 Continuous slot (3) Mill slot 6 Wire wrapp								9 Drilled holes						
	uvered shutt		ey punched	ر		rch cut			10 Other (s					<i></i>
		ED INTERVALS:	, ,	5	ft. to	15			n <del></del>		'			1
	SAND		From					ft Fron				to	<del></del>	
Š	S <b>RAVEL</b> PA	CK INTERVALS:		<i>‡</i>		15	5	ft., Fron			ft.	to		ft
`		OK HATELTANEO.	From		ft. to			ft., Fron				to		ft.
6 GROUT	MATERIAL	.: _ 1 Neat o		2)Ceme	ent grout		Bentonite		Other . <del></del>					
Grout Inter		• -	<i>^</i>		From	2	. ft. to	4	ft., Fr					
				n.	, 110111	. <del></del>	. 11. 10			OIII <del>.</del>			ed water	woll
		ource of possible			7 Dit maion			10 Livest	•			Dil well/G		weii
	ptic tank		ral lines		7 Pit privy			11 Fuel s	-					
	wer lines	5 Cess	•		8 Sewage I	•			zer storage				ecify belo	ow)
	•	er lines 6 Seep	page pit		9 Feedyard				icide storag		contam	inated	1	
Direction f		I	LITUOL COLO	100		FD/	<u> </u>	How man	ny feet?	DI	<b>site</b> UGGING	INITEDV		
FROM	то		LITHOLOGIC	LOG		FRO	ОМ	то			DGGING	INIERVA	ALS	
GL	2.00	Soil									lush 1			
2.00	15.00	Sand								F	dichard	d Harr	er	
15.00	TD	End of Bo	orehole									3/10/	95	
7 CONTE	ACTORIC (		DIC OFFICIOAT	IONI. Thi				(2) ====		r (2) n	ugged up	dar mu i	uriadiatio	n and was
			R'S CERTIFICATI											
			30/95						rd is true to		st of my Kr			er. Kansas
			585						1 1	1.4		A/17√	95 · · ·	
			iated Envir					by (signat		DM		BY D	aunk	Kincas
INSTRU	CTIONS: Use ty h and Environm	rpewriter or ball point nent, Bureau of Water,	pen. PLEASE PRESS F. Topeka, Kansas 6662	1RMLY and 0-0001. Te	d <u>PRINT</u> clearly. elephone: 913-29	Please fill in t 6-5545. Send	blanks, under one to WATI	line or circle ER WELL OW	the correct and retail	swers. Se n one for	end top thee your record	copies to	Kansas Der	partment