KOLAR Document ID: 1531001

WATER WELL RECORD ☐ Original Record ☐ Correction ☐ Change in Well Use				Division of Wa Resources App.			Well ID		
1 LOCATION OF WATER WELL:			Fraction		tion Number				
County:			1/4 1/4 1/4						
ŷ.					eet or Rural Address where well is located (if unknown, distance and				
Business: di					irection from nearest town or intersection): If at owner's address, check here:				
Address: Address:									
	City: State: ZIP:								
3 LOCATE WELL			<u> </u>						
WITH "X" IN		4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)							
SECTION BOX:					Longitude:				
N			3) ft., or 4) ☐ TER LEVEL:		Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:				
	below land surface, measured on (mo-day-yr						<u>::</u>)		
NW NE	above land surface, measured on (mo-day-y					(WAAS enabled?			
		Pump test data: Well water was			☐ Land Survey ☐ Topographic Map				
w	E after		s pumping			Online Mapper:			
SW SE	. 0		vater was f						
		nours Yield:	pumping gpm		6 Elevati	on :ft	. ☐ Ground Level ☐ TOC		
S			in. to ft. and			Source: Land Survey GPS Topographic Map			
mile	Bore more		in. to		Other				
7 WELL WATER TO BE USED AS:									
1. Domestic: 5. ☐ Public Water Supply: well ID									
☐ Household	<u> </u>					11. Test Hole: well ID			
Lawn & Garden	– 1				☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livestock 2. ☐ Irrigation	8. ☐ Monitoring: well ID 9. Environmental Remediation: well ID .				12. Geothermal: how many bores?				
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial ☐ Recovery ☐ Injection				3.101.000		13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? \square Yes \square No									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other									
Casing diameter in. to									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)				••••					
Direction from well? ft.									
10 FROM TO]	LITHOLOG	GIC LOG	FROM	I OT	ITHO. LOG (cont.) or	r PLUGGING INTERVALS		
				Notes:	•				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the business n	ame of		1 1115 VV d			on (mo-day-y			
under the business name of Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									
v isit us at <u>nttp://www.l</u>	uneks.gov/waterwe	m/maex.ntml					NOA 028-1212		