WATE	R WE	LL RECORD	Fo	rm W	WC-5	I	Division of Wate	r Resources App. No	, L			
1 LOCATION OF WATER WELL:			Fraction			Sec	tion Number	Township No.	Range Nu			
			1/4	1/4	1⁄4 SE 1/		35	T 23 S]E ∕]W		
		Address of Well Location;				g System (GPS) in						
from	from nearest town or intersection: If at owner's address, check here \Box .							Latitude:				
							Elevation:					
						- Dati	Datum: WGS 84, NAD 83, NAD 27					
2 WATER WELL OWNER: Shell Oil Company / Young Trust						Coll	Collection Method:					
RR#, Street Address, Box #: P.O. Box 301440 MW 2309-35							GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey					
City, State, ZIP Code : Houston, TX 77230-1440							Est. Accuracy: $\square < 3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}, \square >15 \text{ m}$					
3 LOCATE WELL										15 m		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 120 ft.												
SECTION BOX: Depth(s) Groundwater Encountered (1)												
WELL'S STATIC WATER LEVEL the below land surface measured on mo/day/yr1448014 Pump test data: Well water wasft. after												
EST VIELD gam Well water was flagfer hours numping gam												
$ _{W}$ $ _{E}$ $ _{E}$ Bore Hole Diameter 6.1/2in. to .140ft., andin. toft.												
W WELL WATER TO BE USED AS: Public water supply Geothermal Injection well												
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)												
Industrial 📋 Domestic-lawn & garden 🗹 Monitoring well												
Was a chemical/bacteriological sample submitted to Department? Yes No												
S If yes, mo/day/yr sample was submitted 1 mile Water well disinfected? Yes No												
5 TYPE OF CASING USED: Steel V PVC Other												
CASING JOINTS: Glued Clamped Welded I Threaded Casing diameter .2 in. to .100 ft., Diameter in. to ft., Diameter in. to ft.												
Casing diameter												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel ↓ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)												
SCREEN-PERFORATED INTERVALS: From												
From												
	GRAV											
From												
6 GRO		From .20 ft. to		nt grout	Bento	onite ft to		Erom	 А на	Δ		
		est source of possible conta		., FIOII		. 11. 10 .	11.,	rioin		n.		
	Septic ta		es Pit privy		Livestock	pens	Insecticide	storage Othe	er (specify be	low)		
	Sewer li	nes 🗍 Cesspool	Sewage l	agoon	🗌 Fuel stora		Abandoned	water well		,		
	☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well Direction from well											
FROM	TO	m well LITHOLOG			FROM	TO TO		OG (cont.) or PLU				
0	5	Gray Clay			TROM	10				ERVAL5		
5	20	Gray Clay										
20	40	Gray Clay							·····			
40	80	Gray Clay/Sand										
80	100	Sand										
100	120	Sand/Gravel										
120	130	Gravel										
130	140	Red Shale										
				-			-					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .12/28/.12 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No665 This Water Well Record was completed on (mo/day/year).01115/13												
under th	e busine	ss name ofPratt Well Se	ervice. Inc.	THIS V		hv	signature)	I I I A	ato.			
INSTRUC	CTIONS:	Use ty pewriter or ball point pen.	PLEASE PRESS	FIRMLY	and <u>PRINT</u> c	learly. Pl	ease fill in blanks	and check the correct	answers. Sen	d three copies		
(white, blu	ue, pink) t	o Kansas Depar tment of Health	and E nvironment,	Bureau	of Water, Geo	logy Sect	tion, 1000 SW Jac	kson St., Suite 420, 7	opeka, Kansas	66612-1367.		
		5524. Send one copy to WAT.	ER WELL OWN	EK and r	etain one for	your rec	ords. Include <u>fee</u>	of \$5.00 for each con	istructed well	. Visitusat		
		http://www.kdheks.gov/waterwell/index.html.										

•1 .