WATER WELL REC		WWC-5		rision of Water			
Original Record C		e in Well Use		ources App. No.		Well ID	
1 LOCATION OF WATER WELL: County: Reno		Fraction NE 1/4 SW 1/4 SW 1/4		tion Number 33	Township Numb	er Range Number R 9 □ E ■ W	
				street or Rural Address where well is located (if unknown, distance and			
Business: P.O. Box 14		nearest town or intersection): If at owner's address, check here:					
Address:	l)	From Hwy	50 and Lango	lon Rd 1N 1/8E	NSR		
3 LOCATE WELL					20.000		
WITH "X" IN	IPLETED WELL: .						
SECTION BOX: Depth(s) Groundwater Encountered: 1)				Dry Well Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ■ NAD 27			
WELL'S STATIC WATER LEVEL:19 □ below land surface, measured on (mo-day-yr).				ft. Source for Latitude/Longitude:			
		, measured on (mo-day- , measured on (mo-day-					
	Pump test data: Well water was ft.			☐ Land Survey ■ Topographic Map			
W E	after hours pumping gpm Well water was ft.			☐ Online Mapper:			
SW SE	after hours pumping gpm			(El., 4)	1715		
	Estimated Yield:gpm Bore Hole Diameter:in. to			6 Elevation:1715			
mile		in. to					
7 WELL WATER TO BE USED AS:							
1. Domestic: Household		ter Supply: well ID				ease	
Lawn & Garden	6. ☐ Dewatering: how many wells? 7. ☐ Aquifer Recharge: well ID						
☐ Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?			
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID ☐ Air Sparge ☐ Soil Vapor Extrac						
3.							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? ■ Yes □ No							
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other							
Casing diameter 10 in to 70 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 20 in Weight 160 lbs/ft. Wall thickness or gauge No. 413							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other							
Grout Intervals: From							
■ Septic Tank							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)							
Direction from well? . South	<u> </u>	Distance from we	ell?1.10		ft.		
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO L	THO. LOG (cont.) or	PLUGGING INTERVALS	
	soil clay sandy		 			···	
	nt grey clay, sandy	w/ caliche	-				
25 43 Ligh	ight grey clay, sandy w/caliche 50/50						
	an sandy clay w/stks of fine sand						
	e sand w/stks of ta		Nation	<u> </u>			
	5 Reddish tan clay w/fine sand mix. Notes: Streaks of fine sand and caliche						
95 110 Small grayel and f sand w/clay stks							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .4.4-20.19 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo-day-year) 4-10-20.19							
under the business name of Rosencrantz-Bemis Ent. Signature Dadage Walter							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							