LOCATION	OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Name	Dance Wton
∸			NW 1/4 SE	1/4	34	Township Number	Range Number  R 1W RAW
	rection frem nearest town or ci	SW 1/4		1/4	34	т 24 в	R IW E/W
4th & Harrison, 1/2 W. of Ridge Rd. on E. side of Harrison Sedgwick, KS.							
		GWICK, CITY		<u>-u u.</u>	STAG OT	WATTION DE	WANTON' NO!
RR#, ST. AD		N. Commerc				Board of Agricultus	re, Divivsion of Water Resource
CITY, STAT		gwick, Kans				Application Nu	mber: 960065
	ELL'S LOCATION WITH	4 DEPTH OF		50	n. ELE	VATION:	
AN "X" IN SI	ECTION BOX:	Depth(s) groundwa	ter Encountered	1	ft.	2 ft.	3 ft.
		WELL'S STATIC W.		FT.	BELOW LAND SUI	RFACE MEASURED ON mo/day/y	00, 21, 1330
1	NWNE	Pump test		ter was			oumping gpr
<u>.</u>		Est. Yield Bore Hole Diameter	gpm: Well wa			-	oumping gpr in. to ft.
M W	E	WELL WATER 164		Public water	ft.		in. to ft. 11 Injection well
	x l	1 Domestic		Oil field wat			12 Other (Specify below)
	SW SE	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well	
│ ↓		Was a chemical/bacte	riological sample subn	nitted to De	partment? Yes	No 🗶 ; If ye	s, mo/day/yr sample was
	S	submitted			Wat	ter Well Disinfected? Y	es 🗶 No
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9	Other (Specify b	elow)	Welded Threaded
2 PVC	4 ABS		7 Fiberglass	_			
	Diameter 8	in. to 36 in	ft., Dia weight	in.	to lbs. / ft.	ft., Dia i Wall thickness or gauge No.	
	CREEN OR PERFOR		weight	7	PVC	10 Asbestos-	
1 Steel	3 Stainless Steel	l	5 Fiberglass	8	RMP (SR)	11 other (spe	ecify) N/A
2 Brass	4 Galvanized ste	eel	6 Concrete tile	9	ABS	12 None used	• •
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut							11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A							
SCREEN-PE	ERFORATION INTER		ft. to	0	ft., Fron		to f
,	ND 11771 B 1 617 1177	from	ft. t		ft., Fron	•	to fi
G	GRAVEL PACK INTE	RVALS: from from	ft. (	-	ft., Fron ft., Fron		to f
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
	vals: From 3	ft. to 6	ft. From	ft.	to	ft. From	ft. to fi
What is the nearest source of possible contamination:				10 Livestock pens		ock pens	14 Abandon water well
1 Septic tank 4 Lateral lines					11 Fuel st	15 OH WELD GAS WELL	
2 Sewer lines 5 Cess pool			8 Sewage lagoon 12 Fertilizer storage 13 Insecticide storage			•	16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticitie storage None Apparent							
Direction from well?  How many feet?  FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
FROM I		HINOLOGIC IAG		FROM O	3 TO	surface clay	
				3		cement grout	
				6	20	bentonite hol	
				20	50	chlorinated s	and and grave
							THE AND THE STATE OF THE STATE
					-		
					<b></b>		
							1.47.5
					_	new	
					-		
<del></del>							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
Well Conf	pieted on (mo/day/ye: tractor's l icense No	ar)	あるる.X This Water Well De	and this re cord was	cora is true to t completed on #	the best of my knowledge no/day/yr)0.6	e and belief. Kansas Wate /26/96
Under the	e business name of.	arp Well &	Pump Servi	ce. I	NG by (sia	nature)	
		_	_		,, ,	Todd	S. Harp