1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township North	Range Number	
		<b></b> CT			Township Number	1 1	
Harvey	SW 1/4	NW 1/4 SE	1/4	34	т 24 в	R 1W E/W	
Distance and direction from nearest town or city street address of well if located within city?  4th & Harrison, 1/2 W. of Ridge Rd. on E. side of Harrison Sedgwick, KS.							
4th & Harrison,			on E.	side of	Harrison Sed	wick, KS.	
	GWICK, CITY				Donal of A missilians 1	Dhuhudon of Wiston Devenue.	
RR#, ST. ADRESS, BOX#: 511 N. Commercial  GUTV STATE JID CONF. Soldwick Process  CONF. Soldwick Proces							
CITY, STATE, ZIP CODE: SedCwick, Kansas Application Number: 960105  LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMMON SELECTION:							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			50		EVATION:		
N	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W			BELOW LAND SU	JRFACE MEASURED ON mo/day/yr	06/21/1996	
NW NE	Pump tes			ft.	after hours pur	nping gpm	
ايا	Est. Yield	gpm: Well wa	ter was	ft.	after hours pur	nping gpm	
E W	Bore Hole Diameter	1 24 T		ft.	and in.	to ft.	
	WELL WATER		Public water		•	Injection well	
X se	1 Domestic		Oil field wat			Other (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and ga	ırden only	10 Monitoring well		
₩as a chemical/bacteriological sample submitted to Department? Yes No 🗶 ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9	Other (Specify	below)	Welded	
2 PVC 4 ABS		7 Fiberglass				Threaded	
Blank casing Diameter 5	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height Mattand surface	36 in.,	weight		lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORA			7	PVC	10 Asbestos-cen	ient	
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specif	<sup>(y)</sup> N/A	
2 Brass 4 Galvanized ste	el	6 Concrete tile	9	ABS	12 None used (c		
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (op						11 None (open hole)	
1 Continous slot 3 Mill s		6 Wire wrapped		9 Drilled holes			
L						: / <b>T</b>	
CORPERA DEDUCAL ANGUAL						_	
SCREEN-FERFORATION INTER		ft. t		ft., Fro			
CDAYER BACK SAME	from	ft. t		ft., Fro			
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro			
6 GROUT MATERIAL: 1 Near	from 2 (	ft. ( Cement grout		ft., Fro	m ft. to	<u> </u>	
Grout Intervals: From 3	ft. to 8						
What is the nearest source of possible	•	ft. From	ft. (	io 10 Livest	ft. From	ft. to ft. Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuels			
2 Sewer lines 5 Cess pool		8 Sewage lagoon				15 Oil well/Gas well	
	9 Feedyard	12 Insecticide storage					
1	page pit	7 recuyaru				e Apparent	
Direction from well?   How many feet?     FROM   TO   LITHOLOGIC LOG   FROM   TO   PLUGGING INTERVALS							
FROM 10	LITHOLOGIC LOG	· · · · · · · · · · · · · · · · · · ·	FROM 0	3 TO	surface clay a		
				8	cement grout	IG SIIC	
			3				
			8	15	bentonite hole		
			15	50	chlorinated sa	nd and graver	
				+		, , , , , , , , , , , , , , , , , , , ,	
				<del></del>			
				ļ			
		****				11 Vb - 14 m	
						110-110-110-1	
			<u> </u>				
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION: T	his water well was (1	construct	ed, (2) recons	tructed, or (3) plugged under	my jurisdiction and	
was completed on (mo/day/year)							
Well Contractor's License No	<u>236</u>	This Water Well Re	cord was c	ompleted on (	mo/day/yr)	<u> 26/96</u>	
Under the business name of HarpWell&PumpService							
Todd S. Harp							